Review of Java

- Classes are object factories
 - > Encapsulate state/data and behavior/methods
 - > Ask not what you can do to an object, but what ...
- A program is created by using classes in libraries provided and combining these with classes you design/implement
 - > Design classes, write methods, classes communicate
 - > Communication is via method call
- We've concentrated on control within and between methods
 - > Data types: primitive, array, String
 - ➤ Control: if, for-loop, while-loop, return

Genome Revolution: COMPSCI 006G

3.1

Generalize from two to three

• Find the smallest of three strand lengths: s1, s2, s3

```
int small = ...
```

- Choices in writing code?
 - > Write sequence of if statements
 - > Call library method
 - Advantages? Disadvantages?

Smallest of 2, 3, ...,n

• We want to print the lesser of two elements, e.g., comparing the lengths of two DNA strands

```
int small = Math.min(s1.length(),s2.length());
```

- Where does min function live? How do we access it?
 - > Could we write this ourselves? Why use library method?

```
public class Math {
   public static int min(int x, int y) {
      if (x < y) return x;
      else return y;
   }
}</pre>
```

Genome Revolution: COMPSCI 006G

3.2

Generalize from three to N

• Find the smallest strand length of N (any number) in array

```
public int smallest(String[] dnaCollection) {
    // return shortest length in dnaCollection
}
```

• How do we write this code? Where do we start?

```
>
```

 \triangleright

Genome Revolution: COMPSCI 006G

3.4

Genome Revolution: COMPSCI 0060

Static methods analyzed

- Typically a method invokes behavior on an object
 - Returns property of object, e.g., s.length();
 - Creates new object from other, e.g., s. substring (2,5);
 - Causes object to change state, e.g., dna.cleave(rna);
- Sometimes we don't need an object, e.g., square-root, min, even find CG ratio!
 - > Static method invoked using class-name, not object
 - > All information passed in, no internal state
 - > Compare to String substring, need state of internal chars

Genome Revolution: COMPSCI 006G

3.5

3.7

Organization of classes

- Java classes are organized into packages
 - > Keep related classes together
 - Facilitates conceptual use and development (from client/programmer view and developer/programmer view)
- Access to classes provided by import statement
 - ➤ All classes in java.lang imported silently
 - > Math, String, Object, System,...
 - > Other packages require providing compiler with location
 - · Packages organized hierarchically and conventionally named

import java.util.Arrays; // to sort arrays
import org.biojava.bio.seq.DNATools;

ome Revolution: COMPSCI 006G

How do we know about stuff?

- Where is documentation for Math class?
 - > Where does Math class live in relation to other classes?
 - How do we access and read documentation?
- By convention Java classes include comments processed by a program called *javadoc* that generates web pages
 - Writing stylized comments facilitates browsable docs
 - > API is application programming interface

http://www.cs.duke.edu/csed/java/jdk1.4/docs/api/ for Java http://www.cs.duke.edu/csed/java/biojava-api/ for biojava

Genome Revolution: COMPSCI 006G

3.6

Richard Stallman



- One of world's best progammers/hackers
- Difference? Pejorative?
- Developed GNU software
 - C/C++, emacs, libraries
 - Basis for Linux
- Awards:
 - > Macarthur genius award
 - ➤ Grace Murray Hopper
- Invented copyleft, free software
 - Free speech, not free beer
 - Basis for most bioinformatics tools, Perl, biojava, ...

Genome Revolution: COMPSCI 006G

3.8

