

Transaction Processing

CPS 116
Introduction to Database Systems

Announcements (December 1)

2

- ❖ Homework #4 due next Tuesday (Dec. 6)
- ❖ Project demo period will start next Tuesday
 - Watch for an email tomorrow about scheduling
- ❖ Final exam on December 13

Review

3

- ❖ ACID
 - Atomicity: TX's are either completely done or not done at all
 - Consistency: TX's should leave the database in a consistent state
 - Isolation: TX's must behave as if they are executed in isolation
 - Durability: Effects of committed TX's are resilient against failures
- ❖ SQL transactions
 - Begins implicitly
 - SELECT ...;
 - UPDATE ...;
 - ROLLBACK | COMMIT;

Concurrency control


4

❖ Goal: ensure the “I” (isolation) in ACID

```

T1:
read(A);
write(A);
read(B);
write(B);
commit;

T2:
read(A);
write(A);
read(C);
write(C);
commit;
    
```



Good versus bad schedules

5

T ₁	T ₂	T ₁	T ₂	T ₁	T ₂
r(A)		r(A)		r(A)	
w(A)			r(A)	w(A)	
r(B)		w(A)			r(A)
w(B)		w(A)			w(A)
	r(A)	r(B)		r(B)	
	w(A)	r(C)			r(C)
	r(C)	w(B)		w(B)	
	w(C)	w(C)			w(C)

Serial schedule

6

❖ Execute transactions in order, with no interleaving of operations

- T₁.r(A), T₁.w(A), T₁.r(B), T₁.w(B), T₂.r(A), T₂.w(A), T₂.r(C), T₂.w(C)
- T₂.r(A), T₂.w(A), T₂.r(C), T₂.w(C), T₁.r(A), T₁.w(A), T₁.r(B), T₁.w(B)

☞ Isolation achieved by definition!

❖ Problem: no concurrency at all

❖ Question: how to reorder operations to allow more concurrency

Conflicting operations


7

- ❖ Two operations on the same data item conflict if at least one of the operations is a write
 - $r(X)$ and $w(X)$ conflict
 - $w(X)$ and $r(X)$ conflict
 - $w(X)$ and $w(X)$ conflict
 - $r(X)$ and $r(X)$ do not
 - $r/w(X)$ and $r/w(Y)$ do not
- ❖ Order of conflicting operations matters
 - E.g., if $T_1.r(A)$ precedes $T_2.w(A)$, then conceptually, T_1 should precede T_2

Precedence graph

8

- ❖ A node for each transaction
- ❖ A directed edge from T_i to T_j if an operation of T_i precedes and conflicts with an operation of T_j in the schedule



Conflict-serializable schedule

9

- ❖ A schedule is conflict-serializable iff its precedence graph has no cycles
- ❖ A conflict-serializable schedule is equivalent to some serial schedule (and therefore is “good”)
 - In that serial schedule, transactions are executed in the topological order of the precedence graph
 - You can get to that serial schedule by repeatedly swapping adjacent, non-conflicting operations from different transactions

Locking

❖ Rules


- If a transaction wants to read an object, it must first request a shared lock (S mode) on that object
- If a transaction wants to modify an object, it must first request an exclusive lock (X mode) on that object
- Allow one exclusive lock, or multiple shared locks

Mode of the lock requested

	S	X	
Mode of lock(s) currently held by other transactions	S	X	Grant the lock?
	Yes	No	
	No	No	

Compatibility matrix


Basic locking is not enough



Two-phase locking (2PL)

❖ All lock requests precede all unlock requests

- Phase 1: obtain locks, phase 2: release locks



Problem of 2PL

13

T_1	T_2
$r(A)$	
$w(A)$	
	$r(A)$
	$w(A)$
$r(B)$	
$w(B)$	
Abort!	$r(B)$
	$w(B)$

- ❖ T_2 has read uncommitted data written by T_1
- ❖ If T_1 aborts, then T_2 must abort as well
- ❖ Cascading aborts possible if other transactions have read data written by T_2

- ❖ Even worse, what if T_2 commits before T_1 ?
 - Schedule is not recoverable if the system crashes right after T_2 commits

Strict 2PL

14

- ❖ Only release locks at commit/abort time
 - A writer will block all other readers until the writer commits or aborts

☞ Used in most commercial DBMS (except Oracle)

Recovery

15

- ❖ Goal: ensure “A” (atomicity) and “D” (durability) in ACID
- ❖ Execution model: to read/write X
 - The disk block containing X must be first brought into memory
 - X is read/written in memory
 - The memory block containing X , if modified, must be written back (flushed) to disk eventually



Failures

16

- ❖ System crashes in the middle of a transaction T ; partial effects of T were written to disk
 - How do we undo T (atomicity)?
- ❖ System crashes right after a transaction T commits; not all effects of T were written to disk
 - How do we complete T (durability)?

Naïve approach

17

- ❖ Force: When a transaction commits, all writes of this transaction must be reflected on disk
 - Without force, if system crashes right after T commits, effects of T will be lost
 - ☞ Problem:
- ❖ No steal: Writes of a transaction can only be flushed to disk at commit time
 - With steal, if system crashes before T commits but after some writes of T have been flushed to disk, there is no way to undo these writes
 - ☞ Problem:

Logging

18

- ❖ Log
 - Sequence of log records, recording all changes made to the database
 - Written to stable storage (e.g., disk) during normal operation
 - Used in recovery
- ❖ Hey, one change turns into two—bad for performance?
 - But writes are sequential (append to the end of log)
 - Can use dedicated disk(s) to improve performance




Undo/redo logging rules

- ❖ Record values before and after each modification:
 $\langle T_i, X, \text{old_value_of_}X, \text{new_value_of_}X \rangle$
- ❖ A transaction T_i is committed when its commit log record
 $\langle T_i, \text{commit} \rangle$ is written to disk
- ❖ Write-ahead logging (WAL): Before X is modified on disk,
 the log record pertaining to X must be flushed
 - Without WAL, system might crash after X is modified on disk
 but before its log record is written to disk—no way to undo
- ❖ No force: A transaction can commit even if its modified
 memory blocks have not be written to disk (since redo
 information is logged)
- ❖ Steal: Modified memory blocks can be flushed to disk
 anytime (since undo information is logged)

Undo/redo logging example

T_1 (balance transfer of \$100 from A to B)

```
read(A, a); a = a - 100;
write(A, a);
read(B, b); b = b + 100;
write(B, b);
commit;
```



Steal: can flush
before commit

No force: can flush
after commit

No restriction on when memory blocks can/should be flushed

Checkpointing

- ❖ Naïve approach:
 - Stop accepting new transactions (lame!)
 - Finish all active transactions
 - Take a database dump
 - Now safe to truncate the log
- ❖ Fuzzy checkpointing
 - Determine S , the set of currently active transactions, and log
 $\langle \text{begin-checkpoint } S \rangle$
 - Flush all modified memory blocks at your leisure
 - Log $\langle \text{end-checkpoint } \textit{begin-checkpoint_location} \rangle$
 - Between begin and end, continue processing old and new
 transactions

Recovery: analysis and redo phase

22

- ❖ Need to determine U , the set of active transactions at time of crash
 - ❖ Scan log backward to find the last end-checkpoint record and follow the pointer to find the corresponding $\langle \text{start-checkpoint } S \rangle$
 - ❖ Initially, let U be S
 - ❖ Scan forward from that start-checkpoint to end of the log
 - For a log record $\langle T, \text{start} \rangle$, add T to U
 - For a log record $\langle T, \text{commit} \mid \text{abort} \rangle$, remove T from U
 - For a log record $\langle T, X, \text{old}, \text{new} \rangle$, issue $\text{write}(X, \text{new})$
- ☞ Basically repeats history!

Recovery: undo phase

23

- ❖ Scan log backward
 - Undo the effects of transactions in U
 - That is, for each log record $\langle T, X, \text{old}, \text{new} \rangle$ where T is in U , issue $\text{write}(X, \text{old})$, and log this operation too (part of the repeating-history paradigm)
 - Log $\langle T, \text{abort} \rangle$ when all effects of T have been undone
- ☞ An optimization
- Each log record stores a pointer to the previous log record for the same transaction; follow the pointer chain during undo

Summary

24

- ❖ Concurrency control
 - Serial schedule: no interleaving
 - Conflict-serializable schedule: no cycles in the precedence graph; equivalent to a serial schedule
 - 2PL: guarantees a conflict-serializable schedule
 - Strict 2PL: also guarantees recoverability
- ❖ Recovery: undo/redo logging with fuzzy checkpointing
 - Normal operation: write-ahead logging, no force, steal
 - Recovery: first redo (forward), and then undo (backward)
