

# SQL: Programming

CPS 116  
Introduction to Database Systems

---

---

---

---

---

---

---

---

## Announcements (September 28) <sup>2</sup>

- ❖ Homework #1 graded
- ❖ Homework #2 due today
  - Solution available this weekend
- ❖ Midterm in class next Thursday (October 5)
  - Open book, open notes
  - Format similar to the sample midterm
    - Solution available this weekend
  - Covers everything up to next Tuesday's lecture
  - Emphasizes materials exercised in homeworks
- ❖ Check handout box if you missed any handouts!
- ❖ Project milestone #1 due in 2 weeks

---

---

---

---

---

---

---

---

## Motivation <sup>3</sup>

- ❖ Pros and cons of SQL
  - Very high-level, possible to optimize
  - Not intended for general-purpose computation
- ❖ Solutions
  - Augment SQL with constructs from general-purpose programming languages (SQL/PSM)
  - Use SQL together with general-purpose programming languages (JDBC, embedded SQL, etc.)

---

---

---

---

---

---

---

---

## Impedance mismatch and a solution <sup>4</sup>

- ❖ SQL operates on a set of records at a time
- ❖ Typical low-level general-purpose programming languages operates on one record at a time
- ☞ Solution: cursor
  - Open (a result table): position the cursor before the first row
  - Get next: move the cursor to the next row and return that row; raise a flag if there is no such row
  - Close: clean up and release DBMS resources
- ☞ Found in virtually every database language/API
  - With slightly different syntaxes
- ☞ Some support more positioning and movement options, modification at the current position (analogous to view update), etc.

---

---

---

---

---

---

---

---

## Augmenting SQL: SQL/PSM <sup>5</sup>

- ❖ PSM = Persistent Stored Modules
- ❖ CREATE PROCEDURE *proc\_name* ( *parameter\_declarations* )  
*local\_declarations*  
*procedure\_body*;
- ❖ CREATE FUNCTION *func\_name* ( *parameter\_declarations* )  
RETURNS *return\_type*  
*local\_declarations*  
*procedure\_body*;
- ❖ CALL *proc\_name* ( *parameters* );
- ❖ Inside procedure body:  
SET *variable* = CALL *func\_name* ( *parameters* );

---

---

---

---

---

---

---

---

## SQL/PSM example <sup>6</sup>

```
CREATE FUNCTION SetMaxGPA(IN newMaxGPA FLOAT)
  RETURNS INT
  -- Enforce newMaxGPA; return number of rows modified.
BEGIN
  DECLARE rowsUpdated INT DEFAULT 0;
  DECLARE thisGPA FLOAT;
  -- A cursor to range over all students:
  DECLARE studentCursor CURSOR FOR
    SELECT GPA FROM Student
  FOR UPDATE;
  -- Set a flag whenever there is a "not found" exception:
  DECLARE noMoreRows INT DEFAULT 0;
  DECLARE CONTINUE HANDLER FOR NOT FOUND
    SET noMoreRows = 1;
  ... (see next slide) ...
  RETURN rowsUpdated;
END
```

---

---

---

---

---

---

---

---

## SQL/PSM example continued

7

```
-- Fetch the first result row:
OPEN studentCursor;
FETCH FROM studentCursor INTO thisGPA;
-- Loop over all result rows:
WHILE noMoreRows <> 1 DO
  IF thisGPA > newMaxGPA THEN
    -- Enforce newMaxGPA:
    UPDATE Student SET Student.GPA = newMaxGPA
    WHERE CURRENT OF studentCursor;
    -- Update count:
    SET rowsUpdated = rowsUpdated + 1;
  END IF;
  -- Fetch the next result row:
  FETCH FROM studentCursor INTO thisGPA;
END WHILE;
CLOSE studentCursor;
```

---

---

---

---

---

---

---

---

---

---

## Other SQL/PSM features

8

- ❖ Assignment using scalar query results
  - SELECT INTO
- ❖ Other loop constructs
  - FOR, REPEAT UNTIL, LOOP
- ❖ Flow control
  - GOTO
- ❖ Exceptions
  - SIGNAL, RESIGNAL
- ...
- ❖ For more DB2-specific information, check out *Developing SQL and External Routines*
  - Available as part of DB2 v9 manual collection, or directly as [ftp://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en\\_US/db2a3e90.pdf](ftp://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en_US/db2a3e90.pdf)

---

---

---

---

---

---

---

---

---

---

## Interfacing SQL with another language

9

- ❖ API approach
  - SQL commands are sent to the DBMS at runtime
  - Examples: JDBC, ODBC (for C/C++/VB), Perl DBI
  - These API's are all based on the SQL/CLI (Call-Level Interface) standard
- ❖ Embedded SQL approach
  - SQL commands are embedded in application code
  - A precompiler checks these commands at compile-time and converts them into DBMS-specific API calls
  - Examples: embedded SQL for C/C++, SQLJ (for Java)

---

---

---

---

---

---

---

---

---

---

## Example API: JDBC

10

- ❖ JDBC (Java DataBase Connectivity) is an API that allows a Java program to access databases

```
// Use the JDBC package:
import java.sql.*;
...
public class ... {
    ...
    static {
        // Load the JDBC driver:
        try {
            Class.forName("com.ibm.db2.jcc.DB2Driver");
        } catch (ClassNotFoundException e) {
            ...
        }
    }
    ...
}
```

## Connections

11

```
// Connection URL is a DBMS-specific string:
String url =
    "jdbc:db2://localhost:50000/dbcourse";
// Making a connection:
Connection con =
    DriverManager.getConnection(url, user, password);
...
// Closing a connection:
con.close();
```

For clarity we are ignoring  
exception handling for now

## Statements

12

```
// Create an object for sending SQL statements:
Statement stmt = con.createStatement();
// Execute a query and get its results:
ResultSet rs =
    stmt.executeQuery("SELECT SID, name FROM Student");
// Work on the results:
...
// Execute a modification (returns the number of rows affected):
int rowsUpdated =
    stmt.executeUpdate
        ("UPDATE Student SET name = 'Barney' WHERE SID = 142");
// Close the statement:
stmt.close();
```

## Query results

13

```
// Execute a query and get its results:
ResultSet rs =
    stmt.executeQuery("SELECT SID, name FROM Student");
// Loop through all result rows:
while (rs.next()) {
    // Get column values:
    int sid = rs.getInt(1);
    String name = rs.getString(2);
    // Work on sid and name:
    ...
}
// Close the ResultSet:
rs.close();
```

---

---

---

---

---

---

---

---

## Other ResultSet features

14

- ❖ Move the cursor (pointing to the current row) backwards and forwards, or position it anywhere within the `ResultSet`
- ❖ Update/delete the database row corresponding to the current result row
  - Analogous to the view update problem
- ❖ Insert a row into the database
  - Analogous to the view update problem
- ❖ Obtain metadata: `rs.getMetaData()` returns a `ResultSetMetaData` object describing the output table schema (number, order, names, types of columns, etc.)

---

---

---

---

---

---

---

---

## Prepared statements: motivation

15

```
Statement stmt = con.createStatement();
for (int age=0; age<100; age+=10) {
    ResultSet rs = stmt.executeQuery
        ("SELECT AVG(GPA) FROM Student" +
         " WHERE age >= " + age + " AND age < " + (age+10));
    // Work on the results:
    ...
}
```

- ❖ Every time an SQL string is sent to the DBMS, the DBMS must perform parsing, semantic analysis, optimization, compilation, and then finally execution
- ❖ These costs are incurred 10 times in the above example
- ❖ A typical application issues many queries with a small number of patterns (with different parameter values)

---

---

---

---

---

---

---

---

## Prepared statements: syntax

```
// Prepare the statement, using ? as placeholders for actual parameters:
PreparedStatement stmt = con.prepareStatement
("SELECT AVG(GPA) FROM Student WHERE age >= ? AND age < ?");
for (int age=0; age<100; age+=10) {
  // Set actual parameter values:
  stmt.setInt(1, age);
  stmt.setInt(2, age+10);
  ResultSet rs = stmt.executeQuery();
  // Work on the results:
  ...
}
```

- ❖ The DBMS performs parsing, semantic analysis, optimization, and compilation only once, when it prepares the statement
- ❖ At execution time, the DBMS only needs to check parameter types and validate the compiled execution plan

---

---

---

---

---

---

---

---

---

---

## Transaction processing

- ❖ Set isolation level for the current transaction
  - `con.setTransactionIsolationLevel(l);`
  - Where *l* is one of `TRANSACTION_SERIALIZABLE` (default), `TRANSACTION_REPEATABLE_READ`, `TRANSACTION_READ_COMMITTED`, and `TRANSACTION_READ_UNCOMMITTED`
- ❖ Set the transaction to be read-only or read/write (default)
  - `con.setReadOnly(true|false);`
- ❖ Turn on/off AUTOCOMMIT (commits every single statement)
  - `con.setAutoCommit(true|false);`
- ❖ Commit/rollback the current transaction (when AUTOCOMMIT is off)
  - `con.commit();`
  - `con.rollback();`

---

---

---

---

---

---

---

---

---

---

## Odds and ends of JDBC

- ❖ Most methods can throw `SQLException`
  - Make sure your code catches them
  - Remember to close `Statement`, `ResultSet`, etc., in finally block
  - `getSQLState()` returns the standard SQL error code
  - `getMessage()` returns the error message
- ❖ `DataSource` interface for establishing connections
  - Better than through `DriverManager`
- ❖ Methods for examining metadata in databases
- ❖ Methods to retrieve the value of a column for all result rows into an array without calling `ResultSet.next()` in a loop
- ❖ Methods to construct/execute a batch of SQL statements

...

---

---

---

---

---

---

---

---

---

---

## JDBC drivers – Types I, II

- ❖ Type I (bridge): translate JDBC calls to a standard API not native to the DBMS (e.g., JDBC-ODBC bridge)
  - Driver is easy to build using existing standard API's
  - Extra layer of API adds overhead
- ❖ Type II (native API, partly Java): translates JDBC calls to DBMS-specific client API calls
  - DBMS-specific non-Java client library needs to be installed on each client
  - Good performance

---

---

---

---

---

---

---

---

---

---

## JDBC drivers – Types III, IV

- ❖ Type III (network bridge): sends JDBC requests to a middleware server which in turn communicates with a database
  - Client JDBC driver is completely Java, easy to build, and does not need to be DBMS-specific
  - Middleware adds translation overhead
- ❖ Type IV (native protocol, full Java): converts JDBC requests directly to native network protocol of the DBMS
  - Client JDBC driver is completely Java but is also DBMS-specific
  - Good performance
  - Supported by, e.g., `com.ibm.db2.jcc.DB2Driver`

---

---

---

---

---

---

---

---

---

---

## Additional Information

- ❖ Documentation for JDBC and API docs for `java.sql.*`
- ❖ For DB2-specific information, check out *Developing Java Applications*
  - Available as part of DB2 v9 manual collection, or directly as [ftp://ftp.software.ibm.com/ps/products/db2/info/v9/pdf/letter/en\\_US/db2a3e90.pdf](ftp://ftp.software.ibm.com/ps/products/db2/info/v9/pdf/letter/en_US/db2a3e90.pdf)
- ❖ Example code on rack040
  - Web-db-beers: To obtain a copy of the source code, follow instructions on course Web site under Programming Notes / Tomcat Notes
  - RA (less documented): `/home/dbcourse/software/ra-2.0b/`

---

---

---

---

---

---

---

---

---

---

## Embedded C example

22

```
...
/* Declare variables to be "shared" between the application
and the DBMS: */
EXEC SQL BEGIN DECLARE SECTION;
int thisSID; float thisGPA;
EXEC SQL END DECLARE SECTION;
/* Declare a cursor: */
EXEC SQL DECLARE CPS116Student CURSOR FOR
SELECT SID, GPA FROM Student
WHERE SID IN
(SELECT SID FROM Enroll WHERE CID = 'CPS116')
FOR UPDATE;
...
```

---

---

---

---

---

---

---

---

## Embedded C example continued

23

```
/* Open the cursor: */
EXEC SQL OPEN CPS116Student;
/* Specify exit condition: */
EXEC SQL WHENEVER NOT FOUND DO break;
/* Loop through result rows: */
while (1) {
/* Get column values for the current row: */
EXEC SQL FETCH CPS116Student INTO :thisSID, :thisGPA;
printf("SID %d: current GPA is %f\n", thisSID, thisGPA);
/* Update GPA: */
printf("Enter new GPA: ");
scanf("%f", &thisGPA);
EXEC SQL UPDATE Student SET GPA = :thisGPA
WHERE CURRENT OF CPS116Student;
}
/* Close the cursor: */
EXEC SQL CLOSE CPS116Student;
```

---

---

---

---

---

---

---

---

## Pros and cons of embedded SQL

24

---

---

---

---

---

---

---

---



## Pros and cons of augmenting SQL

25

---

---

---

---

---

---

---

---