

# Query Processing: A Systems View

CPS 116  
Introduction to Database Systems

---

---

---

---

---

---

---

---

## Announcements (November 13)

- ❖ Homework #3 sample solution available
- ❖ Homework #4 due in 1½ weeks

---

---

---

---


---

---

---

---

## A query's trip through the DBMS



---

---

---

---

---

---

---

---

## Parsing and validation

4

- ❖ Parser: SQL  $\rightarrow$  parse tree
  - Good old lex & yacc will do
  - Detect and reject syntax errors
- ❖ Validator: parse tree  $\rightarrow$  logical plan
  - Detect and reject semantic errors
    - Nonexistent tables/views/columns?
    - Insufficient access privileges?
    - Type mismatches?
      - Examples: AVG(name), name + GPA, Student UNION Enroll
  - Also
    - Expand \*
    - Expand view definitions
  - Information required for semantic checking is found in system catalog (contains all schema information)

---

---

---

---

---

---


---

---

## Logical plan

5

- ❖ Nodes are logical operators (often relational algebra operators)
- ❖ There are many equivalent logical plans



---

---

---

---

---

---

---

---

## Physical (execution) plan

6

- ❖ A complex query may involve multiple tables and various query processing algorithms
  - E.g., table scan, index nested-loop join, sort-merge join, hash-based duplicate elimination...
- ❖ A physical plan for a query tells the DBMS query processor how to execute the query
  - A tree of physical plan operators
  - Each operator implements a query processing algorithm
  - Each operator accepts a number of input tables/streams and produces a single output table/stream

---

---

---

---


---

---

---

---

## Examples of physical plans



- ❖ Many physical plans for a single query
  - Equivalent results, but different costs and assumptions!
  - ☞ DBMS query optimizer picks the "best" possible physical plan

---

---

---

---

---

---

---

---

---

---

## Physical plan execution

- ❖ How are intermediate results passed from child operators to parent operators?
  - Temporary files
    - Compute the tree bottom-up
    - Children write intermediate results to temporary files
    - Parents read temporary files
  - Iterators
    - Do not materialize intermediate results
    - Children pipeline their results to parents

---

---

---

---

---

---

---

---

---

---

## Iterator interface

- ❖ Every physical operator maintains its own execution state and implements the following methods:
  - `open()`: Initialize state and get ready for processing
  - `getNext()`: Return the next tuple in the result (or a null pointer if there are no more tuples); adjust state to allow subsequent tuples to be obtained
  - `close()`: Clean up

---

---

---

---

---

---

---

---

---

---

## An iterator for table scan

10

- ❖ State: a block of memory for buffering input  $R$ ;  
a pointer to a tuple within the block
- ❖ `open()`: allocate a block of memory
- ❖ `getNext()`
  - If no block of  $R$  has been read yet, read the first block from the disk and return the first tuple in the block
    - Or the null pointer if  $R$  is empty
  - If there is no more tuple left in the current block, read the next block of  $R$  from the disk and return the first tuple in the block
    - Or the null pointer if there are no more blocks in  $R$
  - Otherwise, return the next tuple in the memory block
- ❖ `close()`: deallocate the block of memory

---

---

---

---

---

---


---

---

## An iterator for nested-loop join

11

R: An iterator for the left subtree  
S: An iterator for the right subtree



- ❖ `open()`  
`R.open(); S.open(); r = R.getNext();`
  - ❖ `getNext()`

```
do {
  s = S.getNext();
  if (s == null) {
    S.close(); S.open(); s = S.getNext(); if (s == null) return null;
    r = R.getNext(); if (r == null) return null;
  }
} until (r joins with s);
return rs;
```
  - ❖ `close()`  
`R.close(); S.close();`
- Is this tuple-based or block-based nested-loop join?

---

---

---

---

---

---

---

---

## An iterator for 2-pass merge sort

12

- ❖ `open()`
  - Allocate a number of memory blocks for sorting
  - Call `open()` on child iterator
- ❖ `getNext()`
  - If called for the first time
    - Call `getNext()` on child to fill all blocks, sort the tuples, and output a run
    - Repeat until `getNext()` on child returns null
    - Read one block from each run into memory, and initialize pointers to point to the beginning tuple of each block
  - Return the smallest tuple and advance the corresponding pointer; if a block is exhausted bring in the next block in the same run
- ❖ `close()`
  - Call `close()` on child
  - Deallocate sorting memory and delete temporary runs

---

---

---

---

---

---

---

---

## Blocking vs. non-blocking iterators 13

- ❖ A blocking iterator must call `getNext()` exhaustively (or nearly exhaustively) on its children before returning its first output tuple
  - Examples:
- ❖ A non-blocking iterator expects to make only a few `getNext()` calls on its children before returning its first (or next) output tuple
  - Examples:

---

---

---

---

---

---

---

---

## Execution of an iterator tree 14

- ❖ Call `root.open()`
  - ❖ Call `root.getNext()` repeatedly until it returns null
  - ❖ Call `root.close()`
- 
- ☞ Requests go down the tree
  - ☞ Intermediate result tuples go up the tree
  - ☞ No intermediate files are needed

---

---

---

---

---

---

---

---