
CompSci 6 Introduction to Computer Science



More on Strings

- Strings are indexed starting at 0
- Example: 'word'

- Use [num] to refer to a particular character in word
- Use [x:y] to refer to a slice of the string starting at position x and up to but not including position y. Can leave out x or y.

Announcements


- Read for next time
 - Chapter 4 (pages 55-61) (note: we will work with images a different way)
 - Chapter 5
- Assignment 2 out APTs
- Reading Quiz on Blackboard
 - Due before class next time

Examples

```
phrase = "Duke Blue Devils"
print phrase[0]
print phrase[-3]
print phrase[1:3]
print phrase[5:10] + phrase[:4]
print
(phrase[phrase.find('ev'):]).upper()
```

APTs

- An APT is one a system we have setup to let you focus on solving one method.
- Similar to javaBat
- Snarf the APT, test it until you get all green
- Run in Eclipse
- Solve some APTs now



Lists


• A list is a collection of objects

- Lists are *mutable* use [num] to change a value
- Lists are indexed starting at 0, or -1 from the end
- Functions: max, min, len, sum
- Slice lists [:]

List Examples

```
scores = [10, 9, 10, 8]
print scores
scores[2] = 5
print scores
print max(scores)
print len(scores)
print sum(scores)
print scores[1:]
print scores[1]
```

List before/after modification



Processing List Items

- Process all the items in a list, one item at a time
- Format: for variable in list: block
- Example:

```
sum = 0
nums = [6, 7, 3, 1, 2]
for value in nums:
    sum = sum + value
print sum
```

Copying vs aliasing

```
names = ['jo', 'mo', 'bo']
club = names
team = names[:]
names[1] = 'flo'
print names
print club
print team
```