

SQL: Recursion

CompSci 316
Introduction to Database Systems

2

Announcements (Tue. Oct. 1)

- ❖ Homework #2 due Thursday
 - Gradiance Problem 2.6 due next Tuesday
- ❖ *Dead as a Mutton Again:*
Journalism's Modernity Problem
 - Derek Willis, *The New York Times*, next Monday
- ❖ Midterm next Thursday, in class
 - Open-book, open-notes
 - Sample midterm (from last year) posted on Sakai
 - Sample solution will be posted later

3

A motivating example

parent	child
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe

```

graph TD
  Ape --> Abe
  Abe --> Homer
  Abe --> Marge
  Homer --> Bart
  Marge --> Lisa
  
```

- ❖ Example: find Bart's ancestors
 - X is Y 's ancestor if
 - X is Y 's parent, or
 - X is Z 's ancestor and Z is Y 's ancestor
- ❖ "Ancestor" has a recursive definition

4

Recursion in SQL

- ❖ SQL2 had no recursion
 - You can find Bart's parents, grandparents, great grandparents, etc.


```

SELECT p1.parent AS grandparent
FROM Parent p1, Parent p2
WHERE p1.child = p2.parent
AND p2.child = 'Bart';
          
```
 - But you cannot find all his ancestors with a single query
- ❖ SQL3 introduces recursion
 - WITH clause
 - Implemented in PostgreSQL (common table expressions)

5

Ancestor query in SQL3

```

WITH
  RECURSIVE Ancestor(anc, desc) AS base case
  ((SELECT parent, child FROM Parent))
  UNION recursion step
  (SELECT a1.anc, a2.desc
   FROM Ancestor a1, Ancestor a2
   WHERE a1.desc = a2.anc)
SELECT anc
FROM Ancestor
WHERE desc = 'Bart';
  
```

} Define a relation recursively

} Query using the relation defined in WITH clause

How do we compute such a recursive query?

6

Fixed point of a function

- ❖ If $f: T \rightarrow T$ is a function from a type T to itself, a fixed point of f is a value x such that $f(x) = x$
- ❖ Example: What is the fixed point of $f(x) = x/2$?
 - 0, because $f(0) = 0/2 = 0$
- ❖ To compute a fixed point of f
 - Start with a "seed": $x \leftarrow x_0$
 - Compute $f(x)$
 - If $f(x) = x$, stop; x is fixed point of f
 - Otherwise, $x \leftarrow f(x)$; repeat
- ❖ Example: compute the fixed point of $f(x) = x/2$
 - With seed 1: 1, 1/2, 1/4, 1/8, 1/16, ... $\rightarrow 0$

☞ Doesn't always work, but happens to work for us!

Fixed point of a query

7

- ❖ A query q is just a function that maps an input table to an output table, so a fixed point of q is a table T such that $q(T) = T$
- ❖ To compute fixed point of q
 - Start with an empty table: $T \leftarrow \emptyset$
 - Evaluate q over T
 - If the result is identical to T , stop; T is a fixed point
 - Otherwise, let T be the new result; repeat
- ☞ Starting from \emptyset produces the unique minimal fixed point (assuming q is monotone)

Finding ancestors

8

```
WITH RECURSIVE Ancestor(anc, desc) AS
((SELECT parent, child FROM Parent)
UNION
(SELECT a1.anc, a2.desc
FROM Ancestor a1, Ancestor a2
WHERE a1.desc = a2.anc))
```

- ❖ Think of it as $Ancestor = q(Ancestor)$

parent	child
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe

anc	desc
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe

anc	desc
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe
Abe	Homer
Ape	Abe
Abe	Bart
Ape	Lisa
Ape	Homer
Ape	Bart
Ape	Lisa

Intuition behind fixed-point iteration

9

- ❖ Initially, we know nothing about ancestor-descendent relationships
- ❖ In the first step, we deduce that parents and children form ancestor-descendent relationships
- ❖ In each subsequent steps, we use the facts deduced in previous steps to get more ancestor-descendent relationships
- ❖ We stop when no new facts can be proven

Linear recursion

10

- ❖ With linear recursion, a recursive definition can make only one reference to itself

Non-linear:

```
WITH RECURSIVE Ancestor(anc, desc) AS
((SELECT parent, child FROM Parent)
UNION
(SELECT a1.anc, a2.desc
FROM Ancestor a1, Ancestor a2
WHERE a1.desc = a2.anc))
```

Linear:

```
WITH RECURSIVE Ancestor(anc, desc) AS
((SELECT parent, child FROM Parent)
UNION
(SELECT anc, child
FROM Ancestor, Parent
WHERE desc = parent))
```

Linear vs. non-linear recursion

11

- ❖ Linear recursion is easier to implement
 - For linear recursion, just keep joining newly generated *Ancestor* rows with *Parent*
 - For non-linear recursion, need to join newly generated *Ancestor* rows with all existing *Ancestor* rows
- ❖ Non-linear recursion may take fewer steps to converge, but perform more work
 - Example: $a \rightarrow b \rightarrow c \rightarrow d \rightarrow e$
 - Linear recursion takes 4 steps
 - Non-linear recursion takes 3 steps
 - More work: e.g., $a \rightarrow d$ has two different derivations

Mutual recursion example

12

- ❖ Table *Natural* (n) contains 1, 2, ..., 100

Which numbers are even/odd?

- An odd number plus 1 is an even number
- An even number plus 1 is an odd number
- 1 is an odd number

```
WITH RECURSIVE Even(n) AS
(SELECT n FROM Natural
WHERE n = ANY(SELECT n+1 FROM Odd)),
RECURSIVE Odd(n) AS
((SELECT n FROM Natural WHERE n = 1)
UNION
(SELECT n FROM Natural
WHERE n = ANY(SELECT n+1 FROM Even)))
```

Operational semantics of WITH

13

- ❖ WITH RECURSIVE R_1 AS Q_1, \dots ,
RECURSIVE R_n AS Q_n
 Q ;
- Q_1, \dots, Q_n may refer to R_1, \dots, R_n
- ❖ Operational semantics
 1. $R_1 \leftarrow \emptyset, \dots, R_n \leftarrow \emptyset$
 2. Evaluate Q_1, \dots, Q_n using the current contents of R_1, \dots, R_n :
 $R_1^{new} \leftarrow Q_1, \dots, R_n^{new} \leftarrow Q_n$
 3. If $R_i^{new} \neq R_i$ for any i
 - 3.1. $R_1 \leftarrow R_1^{new}, \dots, R_n \leftarrow R_n^{new}$
 - 3.2. Go to 2.
 4. Compute Q using the current contents of R_1, \dots, R_n and output the result

Computing mutual recursion

14

```
WITH RECURSIVE Even(n) AS
  (SELECT n FROM Natural
   WHERE n = ANY(SELECT n+1 FROM Odd)),
  RECURSIVE Odd(n) AS
  ((SELECT n FROM Natural WHERE n = 1)
  UNION
  (SELECT n FROM Natural
   WHERE n = ANY(SELECT n+1 FROM Even)))
```

- ❖ $Even = \emptyset, Odd = \emptyset$
- ❖ $Even = \emptyset, Odd = \{1\}$
- ❖ $Even = \{2\}, Odd = \{1\}$
- ❖ $Even = \{2, 4\}, Odd = \{1, 3\}$
- ❖ $Even = \{2, 4\}, Odd = \{1, 3, 5\}$
- ❖ ...

Fixed points are not unique

15

```
WITH RECURSIVE Ancestor(anc, desc) AS
  ((SELECT parent, child FROM Parent)
  UNION
  (SELECT a1.anc, a2.desc
   FROM Ancestor a1, Ancestor a2
   WHERE a1.desc = a2.anc))
```

Parent (parent, child)

parent	child
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe

anc	desc
Homer	Bart
Homer	Lisa
Marge	Bart
Marge	Lisa
Abe	Homer
Ape	Abe
Abe	Bart
Abe	Lisa
Ape	Homer
Ape	Bart
Ape	Lisa
bogus	bogus

- ❖ There may be many other fixed points
- ❖ But if q is monotone, then all these fixed points must contain the fixed point we computed from fixed-point iteration starting with \emptyset
 - Thus the unique minimal fixed point is the "natural" answer to the query

Note that the bogus tuple reinforces itself!

Mixing negation with recursion

16

- ❖ If q is non-monotone
 - The fixed-point iteration may flip-flop and never converge
 - There could be multiple minimal fixed points—we wouldn't know which one to pick as answer!
- ❖ Example: reward students with GPA higher than 3.9
 - Those not on the Dean's List should get a scholarship
 - Those without scholarships should be on the Dean's List
 - WITH RECURSIVE Scholarship(SID) AS
(SELECT SID FROM Student WHERE GPA > 3.9
AND SID NOT IN (SELECT SID FROM DeansList)),
RECURSIVE DeansList(SID) AS
(SELECT SID FROM Student WHERE GPA > 3.9
AND SID NOT IN (SELECT SID FROM Scholarship))


Fixed-point iteration does not converge

17

```
WITH RECURSIVE Scholarship(SID) AS
  (SELECT SID FROM Student WHERE GPA > 3.9
   AND SID NOT IN (SELECT SID FROM DeansList)),
  RECURSIVE DeansList(SID) AS
  (SELECT SID FROM Student WHERE GPA > 3.9
   AND SID NOT IN (SELECT SID FROM Scholarship))
```

Student

SID	name	age	GPA
857	Lisa	8	4.3
999	Jessica	10	4.2



Multiple minimal fixed points

18

```
WITH RECURSIVE Scholarship(SID) AS
  (SELECT SID FROM Student WHERE GPA > 3.9
   AND SID NOT IN (SELECT SID FROM DeansList)),
  RECURSIVE DeansList(SID) AS
  (SELECT SID FROM Student WHERE GPA > 3.9
   AND SID NOT IN (SELECT SID FROM Scholarship))
```

Student

SID	name	age	GPA
857	Lisa	8	4.3
999	Jessica	10	4.2



Legal mix of negation and recursion

19

- ❖ Construct a dependency graph
 - One node for each table defined in WITH
 - A directed edge $R \rightarrow S$ if R is defined in terms of S
 - Label the directed edge “-” if the query defining R is not monotone with respect to S
- ❖ Legal SQL3 recursion: no cycle containing a “-” edge
 - Called stratified negation
- ❖ Bad mix: a cycle with at least one edge labeled “-”




Stratified negation example

20

- ❖ Find pairs of persons with no common ancestors


```
WITH RECURSIVE Ancestor(anc, desc) AS
((SELECT parent, child FROM Parent) UNION
 (SELECT a1.anc, a2.desc
  FROM Ancestor a1, Ancestor a2
  WHERE a1.desc = a2.anc)),
Person(person) AS
((SELECT parent FROM Parent) UNION
 (SELECT child FROM Parent)),
NoCommonAnc(person1, person2) AS
((SELECT p1.person, p2.person
  FROM Person p1, Person p2
  WHERE p1.person <> p2.person)
 EXCEPT
 (SELECT a1.desc, a2.desc
  FROM Ancestor a1, Ancestor a2
  WHERE a1.anc = a2.anc))
SELECT * FROM NoCommonAnc;
```



Evaluating stratified negation

21

- ❖ The stratum of a node R is the maximum number of “-” edges on any path from R in the dependency graph
 - *Ancestor*: stratum 0
 - *Person*: stratum 0
 - *NoCommonAnc*: stratum 1
 - ❖ Evaluation strategy
 - Compute tables lowest-stratum first
 - For each stratum, use fixed-point iteration on all nodes in that stratum
 - Stratum 0: *Ancestor* and *Person*
 - Stratum 1: *NoCommonAnc*
- ☞ Intuitively, there is no negation within each stratum



Summary

22

- ❖ SQL3 WITH recursive queries
- ❖ Solution to a recursive query (with no negation): unique minimal fixed point
- ❖ Computing unique minimal fixed point: fixed-point iteration starting from \emptyset
- ❖ Mixing negation and recursion is tricky
 - Illegal mix: fixed-point iteration may not converge; there may be multiple minimal fixed points
 - Legal mix: stratified negation (compute by fixed-point iteration stratum by stratum)