
CompSci 101 Introduction to Computer Science



Sep 14, 2017

Prof. Rodger

compsci101 fall17

Announcements

- Reading and RQ6 due next time
- Assignment 2 due today, Assignment 3 out
- APT 2 due on Tuesday
- Today:
 - Problem solving: Strings, Lists
 - Looping over structures (characters, words) and building something

compsci101 fall17

2

Review Functions

www.bit.ly/101f17-0912-3

```
def duplicate(word, num):
    answer = word * num
    return answer

def duplicate2(word, num):
    answer = word * num
    print answer

def duplicate3(word,num):
    answer = word * num

def duplicate3(w
```

Review Functions

www.bit.ly/101f17-0912-3

```
def duplicate(word, num):
    answer = word * num
    return answer

def duplicate2(word, num):
    answer = word * num
    print answer
```

def duplicate3(word, num):

answer = word * num

Output

- 1. GoGoGo
- 2. GoGoGoGoGo None
- 3. None
- 5. GoGoGoGo

```
    print duplicate ("Go", 3)
    print duplicate2("Go", 5)
    print duplicate3("Go", 2)
    duplicate("Go", 5)
    duplicate2("Go", 4)
    duplicate3("Go", 2)
```

compsci 101, fall 2017 3

compsci 101, fall 2017

How many ways can I run Python in this course?

- Eclipse
 - Complete program
 - Interactive Console
 - -APT
- Online textbook
 - We are using Python 2.7

• Python Tutor

compsci 101, fall 2017

5

Use Python Tutor

- Debug/trace your code
- Doesn't work with input files

compsci 101, fall 2017

_

More on Strings

- Strings are indexed starting at 0
- Example: 'word'

- Use [x] to refer to a particular character in word
- Use [x:y] to refer to a slice of the string starting at position x and up to but not including position y. Can leave out x or y.

Examples bit.ly/101f17-0914-1

phrase = "Duke Blue Devils"

- 1) phrase[0] + phrase[-3] + phrase[-2]*2
- 2) phrase[5:10] + phrase[:4]
- 3)(phrase[phrase.find('ev'):]).upper()
- 4) phrase[-5::2] + phrase[:4:-1]

String fun Crazy import

compsci101 fall17

Loop over all characters in a String

```
def mystery(word):
    answer = ""
    for ch in word:
        if ch.lower() != 'e':
            answer = answer + ch
    return answer
```

compsci101 fall17

9

Loop over string

• www.bit.ly/101f17-0914-2

```
def mystery2(word):
    count = 0
    for ch in word:
        count = count + 1
    return count

def mystery3(word):
    answer = 0
    for ch in word:
        if ch.lower() != 'e':
             answer = answer + 1
    return answer
```

compsci101 fall17

10

Loop over all words in a list

```
def mysteryList(phrase):
    for word in phrase.split():
        print word
```

Loop over words

• www.bit.ly/101f17-0914-3

compsci101 fall17

11



Computer Science Alum



- Biology and CS
- Undergraduate Research JFLAP
- Epic
- Now in Med School at Vanderbilt

compsci101 fall17

13

15

Assignment 3 snarf to use starter files

- Turtles
 - Creative



- Earthquakes
 - Data from last 30 days around the world
 - Example Find the largest earthquake

compsci101 fall17

Getting Started with Earthquake part

• Read lines of data into a list of strings

```
def fileToList(url):
    This function reads a file from a given url
    returns a list of strings where each string
    represents one line from the file
    print "FIX: NEED TO PUT STRINGS IN CORRECT I
    alist = []
    source = urllib2.urlopen(url)
    for line in source:
        items = line.strip()
        alist.append(items)
    return alist
```

compsci101 fall17

Getting Started with Earthquake part

• Read lines of data into a list of strings

```
You must modify to put in correct format!
def fileToList(url):
    This function reads a file from a given url
    returns a list of strings where each string
    represents one line from the file
    print "FIX: NEED TO PUT STRINGS IN CORRECT I
    alist = []
                                           Create Empty list
    source = urllib2.urlopen(url)
                                           source is a file
    for line in source:
                                     Iterate over lines in file
        items = line.strip() Remove carriage return from line
         alist.append(items)
                                  Add line from file to the list
    return alist
                                       Return list of strings
```

compsci101 fall17

16

Getting Started with Earthquake part

• Here is first few lines of the small file:

```
1.3%earthquake$81km SSW of Kobuk, Alaska
1.92%earthquake$37km SW of Challis, Idaho
1.5%earthquake$74km NNW of Ester, Alaska
2.3%earthquake$30km SE of Yerington, Nevada
```

• Read into a list, reformatting the lines

```
["earthquake, 1.3, 81km SSW of Kobuk, Alaska", "earthquake, 1.9, 37km SW of Challis, Idaho", "earthquake, 1.5, 74km NNW of Ester, Alaska", ...
```

• Write function getParts to get parts of a line

```
[1.3, "earthquake", "81km SSW of Kobuk"]
```

17

Use the list to calculate facts about earthquakes

Write a function named **bigQuakes**. This method has two parameters. One is a decimal number and one is a list of earthquake strings in the format above. This method should return a list of earthquake strings whose earthquakes have magnitude equal or greater than the parameter number.

```
First five earthquakes in Alaska 3.0 or greater are earthquake, 3.2, 70km WNW of Skagway, Alaska earthquake, 3.8, 94km NE of Chirikof Island, Alaska earthquake, 4.2, 246km ESE of Chirikof Island, Alaska
```

Use the list to calculate facts about earthquakes

Write a function named **bigQuakes**. This method has two parameters One is a decimal number and one is a list of earthquake strings in the format above. This method should return a list of earthquake strings whose earthquakes have magnitude equal or greater than the parameter number.

Two parameters – number and list of strings Returns a LIST of strings that meet criteria Use PrintQuakes with the list to print

```
First five earthquakes in Alaska 3.0 or greater are earthquake, 3.2, 70km WNW of Skagway, Alaska earthquake, 3.8, 94km NE of Chirikof Island, Alaska earthquake, 4.2, 246km ESE of Chirikof Island, Alaska
```

APT: Last Name First

Problem Statement

Sabrina needs to be able to reorganize names into the last name first and she wants to abbreviate any middle names with the first letter and a period. She respects middle names that are a single letter and does **not** abbreviate them.

Write function modify that given a name returns the name with the last name first, followed by a comma, followed by the first name (if any), followed by the first letter of each remaining/middle name with a period after each letter. If a middle name is a single letter, do not abbreviate it/follow it by a period.

Specification

filename: LastNameFirst.py

def modify(name):
 """
 return the name with the last name first, followed by a comma, followed by the first name (if any), followed by the first letter of each remaining name with a period after each letter.
 name has at least one word.
 """

you write code here

```
2. name = "Prince"
    returns "Prince"
    There is only one name.

3. name = "Thomas Narten"
    returns "Narten, Thomas"
    There is no middle name.

4. name = "Elizabeth Rosemond Hilton Wilding Todd Fisher Burton Warner Fortensky Taylor"
    returns "Taylor, Elizabeth R. H. W. T. F. B. W. F."
    All the middle names are abreviated.
```

LastNameFirst APT

http://www.cs.duke.edu/csed/pythonapt/lastnamefirst.html

Answer Questions here:

bit.ly/101f17-0914-4

compsci101 fall17 22

Problem Solving to Code 7 Step Process

compsci101 fall17

21

23

- 1. Work small examples by hand
- 2. Write down what you did in words (algorithm)
- 3. Find Patterns (generalize algorithm)
- 4. Work another example by hand (does your algorithm work? If not, go back to 2)
- 5. Translate to code
- 6. Test several cases
- 7. Debug failed test cases 117

Use 7 step process to solve LastName First

compsci101 fall17