


CompSci 94

Classwork: Game with Collisions

November 4, 2021



Prof. Susan Rodger

CompSci 94 Fall 2021

1

1) The Game

- There are a lot of baby Yetis and one penguin. The game starts right away with the yetiBabies jumping around. The player controls the penguin with the arrow keys to collide the penguin with every yeti. If a collision occurs the yetiBaby disappears. The goal is to get rid of all the yetiBabies
- Follow the steps that follow to build this game.

CompSci 94 Fall 2021

2

2) Setting up the game

- Use any ground
- Drag in these objects:
 - Biped: yetiBaby(8 of them), penguin
- Create a yetiBaby array as a Scene property named yetiBabies
- See next slide on where to place the yetiBaby's and penguin

CompSci 94 Fall 2021

3

Placement of objects

- Spread the yetiBabies out
- Put the penguin in the front facing the yetis



CompSci 94 Fall 2021

4

3) Write a **yetiBaby** procedure named **moveRandom**

- In this procedure the yetiBaby should move random up/down once and forward/backward once. Details:
 - NO parameters, NO LOOP in this procedure
 - Generate a random number for the height **to move up/down** between 0.5 and 2.0
 - Generate a random number for **how far to move** forward/backward between 0.5 and 2.0
 - The yeti moves forward a random amount
 - Then moves up random amount and then down the same amount.
 - Then moves backward the same amount it moved forward.
 - Make all moves fast in 0.25 seconds

4) Create a **SceneActivationListener**

- In a **while true** loop
 - Have all the yetiBabies at the same time execute **moveRandom** forever
- Run your world, they should move forever

5) Create a **keyPressListener**

- If the user presses the left arrow key, the penguin should move to its left 0.25 in 0.1 secs, fast!
- Do the same for right arrow key (right), up arrow key (forward), down arrow key (backward).
- Play the world and press the arrow keys.

Penguin sluggish? Fix **keyPressListener**

- Make sure your if statements above are nested.
- In the add detail, there are lots of choices.
 - Select **MultipleFire** – lets you hold two keys down at once
 - Select **Combine** – lets the penguin keep moving if you hold the key down
- Run your program again, try moving the penguin

6) Detect when Penguin collides with a yetiBaby

- Add a collisionStartListener event
 - One array is the yetiBabies
 - One array is the penguin
- You need to figure out which yetiBaby collided with the penguin and make that yetiBaby invisible
 - You will need to loop over all the yetiBabies and compare each one to the getSthingFromSet. If match, make that one invisible.
- Now play your game, can you get all the yetis?

CompSci 94 Fall 2021

9

7) Determine when game is over

- Write a **Scene** Function named **isAnyYetiVisible** that returns a **Boolean** type
- This function should loop through all the yetiBabies one at a time. If any yetiBaby is visible, return **true**
- If the loop ends and you have not returned yet, then that means they are all invisible, so return **false**

CompSci 94 Fall 2021

10

8) Add code in myFirstMethod

- Add in a do in order
- Then while any yetiBaby is visible, just wait.

```
declare procedure myFirstMethod
do in order
do in order
while (this isAnyYetiVisible is true
//wait til game over
loop
```

- Then have the penguin face the front and say “got them all”
- Then all the yetiBabies reappear at the same time
- Play your game now.

CompSci 94 Fall 2021

11

12) One more thing to fix

- In the sceneActivationListener, for the while true loop where the yetiBabies are moving randomly
 - Change the **true** condition in the **while loop** to
 - while isAnyYetiVisible is true
- Then the yetiBabies should not be moving at the end of the game.
- Play your game!

CompSci 94 Fall 2021

12