


### Combining Turing Machines

We will define notation that will make it easier to look at more complicated Turing machines

- Given Turing Machines M1 and M2

Notation for


- Run M1
- Run M2



- Given Turing Machines M1 and M2

Notation for




- Run M1
- If x is current symbol
  - then Run M2



3. Given Turing Machines M1, M2, and M3

Notation for

- Run M1
- If  $x$  is current symbol
  - then Run M2
  - else Run M3



$x$  is an element of  $\Gamma$   
 $y$  is any element except  $x$  from  $\Gamma$   
 $z$  is any element from  $\Gamma$

**More Notation for Simplifying Turing Machines**

Suppose  $\Gamma = \{a, b, c, B\}$

$z$  is any symbol in  $\Gamma$

$x$  is a specific symbol from  $\Gamma$

1. s - start
2. R - move right

3. L - move left

4. x - write x (and don't move)

5.  $R_a$  - move right until you see an  $a$

6.  $L_a$  - move left until you see an  $a$

7.  $R_{\neg a}$  - move right until you see anything that is not an  $a$

8.  $L_{\neg a}$  - move left until you see anything that is not an  $a$

9. h - halt in a final state

10.  $\frac{a,b}{\rightarrow} \frac{w}{\rightarrow}$

If the current symbol is a or b, let w represent the current symbol.


### Example

Assume input string  $w \in \Sigma^+$ ,  $\Sigma = \{a, b\}$ .

If  $|w|$  is odd, then write a  $b$  at the end of the string. The tape head should finish pointing at the leftmost symbol of  $w$ .

input: bab, output: babb

input: ba, output: ba



What is the running time?

### Example

Assume input string  $w \in \Sigma^+$ ,  $\Sigma = \{a, b\}$ ,  $|w| > 0$

For each  $a$  in the string, append a  $b$  to the end of the string.

input:  $abbabb$ , output:  $abbabbbb$

The tape head should finish pointing at the leftmost symbol of  $w$ .

**Turing's Thesis** Any computation that can be carried out by a mechanical means can be performed by a TM.

**Definition:** An *algorithm* for a function  $f:D \rightarrow R$  is a TM  $M$ , which given input  $d \in D$ , halts with answer  $f(d) \in R$ .

**Example:**  $f(x + y) = x + y$ ,  $x$  and  $y$  unary numbers.

start with:	111+1111
	↑
end with:	1111111
	↑


**Example:** Copy a String,  $f(w)=w0w$ ,  $w \in \Sigma^*$ ,  $\Sigma = \{a, b, c\}$

Denoted by C

start with:      abac  
                          ↑  
  
end with:         abac0abac  
                          ↑

Algorithm:

- Write a 0 at end of string
- For each symbol in string
  - make a copy of the symbol




**Example:** Shift the string that is to the left of the tape head to the right, denoted by  $S_R$  (shift right)

Below, “ba” is to the left of the tape head, so shift “ba” to the right.

start with:	aaBbabca
	↑
end with:	aaBBbaca
	↑

Algorithm:


- remember symbol to the right and erase it
- for each symbol to the left do
  - shift the symbol one cell to the right
- replace first symbol erased
- move tape head to appropriate position



**Example:** Shift the string that is to the right of tape head to the left,  
denote by  $S_L$  (shift left)

start with:      babcaBba  
                          ↑  
end with:        bacaBBba  
                          ↑

(similar to  $S_R$ )





**Example:** Add unary numbers

This time use shift.

**Example:** Multiply two unary numbers,  $f(x*y)=x*y$ ,  $x$  and  $y$  unary numbers. Assume  $x,y>0$ .

start with:      1111\*11  
                  ↑

end with:        11111111  
                  ↑