

Transaction Processing: Concurrency Control

CPS 216
Advanced Database Systems

Announcement


- ❖ Project milestone #2 due today (April 14)
- ❖ Homework #4 due in 9 days (April 23)
- ❖ Recitation session this Friday (April 18)
 - Homework #4 Q&A
- ❖ Project demo period in two weeks (April 28-May 3)
 - Sign-up sheet will be available next Monday
- ❖ Final exam in 17 days (May 1, 2-5pm)

Review

- ❖ ACID
 - Atomicity: TX's are either completely done or not done at all
 - Consistency: TX's should leave the database in a consistent state
 - Isolation: TX's must behave as if they are executed in isolation
 - Durability: Effects of committed TX's are resilient against failures
- ❖ SQL transactions
 - Begins implicitly
 - SELECT ...;
 - UPDATE ...;
 - ROLLBACK | COMMIT;

Concurrency control

- ❖ Goal: ensure the "I" (isolation) in ACID



Good versus bad schedules

Good!		Bad!		Good?	
T_1	T_2	T_1	T_2	T_1	T_2
r(A)		r(A)		r(A)	
w(A)		Read 400	r(A)	w(A)	
r(B)		Write w(A)	Read 400	r(A)	
w(B)		400 - 100	w(A) Write	w(A)	
r(A)		r(B)	400 - 50	r(B)	
w(A)		r(C)		r(C)	
r(C)		w(B)		w(B)	
w(C)		w(C)		w(C)	

Serial schedule

- ❖ Execute transactions in order, with no interleaving of operations
 - $T_1.r(A), T_1.w(A), T_1.r(B), T_1.w(B), T_2.r(A), T_2.w(A), T_2.r(C), T_2.w(C)$
 - $T_2.r(A), T_2.w(A), T_2.r(C), T_2.w(C), T_1.r(A), T_1.w(A), T_1.r(B), T_1.w(B)$
- ☞ Isolation achieved by definition!
- ❖ Problem: no concurrency at all
- ❖ Question: how to reorder operations to allow more concurrency

Conflicting operations


7

- ❖ Two operations on the same data item conflict if at least one of the operations is a write
 - $r(X)$ and $w(X)$ conflict
 - $w(X)$ and $r(X)$ conflict
 - $w(X)$ and $w(X)$ conflict
 - $r(X)$ and $r(X)$ do not
 - $r/w(X)$ and $r/w(Y)$ do not
- ❖ Order of conflicting operations matters
 - E.g., if $T_1.r(A)$ precedes $T_2.w(A)$, then conceptually, T_1 should precede T_2

Precedence graph

8

- ❖ A node for each transaction
- ❖ A directed edge from T_i to T_j if an operation of T_i precedes and conflicts with an operation of T_j in the schedule



Conflict-serializable schedule

9

- ❖ A schedule is conflict-serializable iff its precedence graph has no cycles
- ❖ A conflict-serializable schedule is equivalent to some serial schedule (and therefore is "good")
 - In that serial schedule, transactions are executed in the topological order of the precedence graph
 - You can get to that serial schedule by repeatedly swapping adjacent, non-conflicting operations from different transactions

Locking

10


- ❖ Rules
 - If a transaction wants to read an object, it must first request a shared lock (S mode) on that object
 - If a transaction wants to modify an object, it must first request an exclusive lock (X mode) on that object
 - Allow one exclusive lock, or multiple shared locks

		Mode of the lock requested		Grant the lock?
		S	X	
Mode of lock(s) currently held by other transactions	S	Yes	No	
	X	No	No	

Compatibility matrix

Basic locking is not enough


11



Two-phase locking (2PL)

12

- ❖ All lock requests precede all unlock requests
 - Phase 1: obtain locks, phase 2: release locks



Problem of 2PL

13

T_1	T_2
r(A)	
w(A)	
	r(A)
	w(A)
r(B)	
w(B)	
	r(B)
	w(B)
...	
Abort!	

- ❖ T_2 has read uncommitted data written by T_1
- ❖ If T_1 aborts, then T_2 must abort as well
- ❖ Cascading aborts possible if other transactions have read data written by T_2

- ❖ Even worse, what if T_2 commits before T_1 ?
 - Schedule is not recoverable if the system crashes right after T_2 commits

Strict 2PL

14


- ❖ Only release locks at commit/abort time
 - A writer will block all other readers until the writer commits or aborts
- ☞ Used in most commercial DBMS (except Oracle)

Deadlocks

15

T_1	T_2
lock-X(A)	
r(A)	
w(A)	
	lock-X(B)
	r(B)
	w(B)
lock-X(B)	lock-X(A)
r(B)	r(A)
w(B)	w(A)

Deadlock: cycle in the wait-for graph



Deadlock!

Dealing with deadlocks


16

- ❖ Impose an order for locking objects
 - Must know in advance which objects a transaction will access
- ❖ Timeout
 - If a transaction has been blocked for too long, just abort
- ❖ Prevention
 - Idea: abort more often, so blocking is less likely
 - Suppose T is waiting for T'
 - Wait/die scheme: Abort T if it has a lower priority; otherwise T waits
 - Wound/wait scheme: Abort T' if it has a lower priority; otherwise T waits
- ❖ Detection using wait-for graph
 - Idea: deadlock is rare, so only deal it when it becomes an issue
 - When do we detect deadlocks?
 - Which transactions do we abort in case of deadlock?

Implementation of locking

17

- ❖ Do not rely on transactions themselves to lock/unlock explicitly
- ❖ DBMS inserts lock/unlock requests automatically



Multiple-granularity locks

18

- ❖ Hard to decide what granularity to lock
 - Trade-off between overhead and concurrency
- ❖ Granularities form a hierarchy
 - Database
 - Tables
 - Pages
 - Rows
- ❖ Allow transactions to lock at different granularity, using intention locks
 - S, X: lock the entire subtree in S, X mode, respectively
 - IS: intend to lock some descendent in S mode
 - IX: intend to lock some descendent in X mode
 - SIX (= S + IX): lock the entire subtree in S mode; intend to lock descendent in X mode

Multiple-granularity locking protocol 19

Mode of lock(s) currently held by other transactions	Mode of the lock requested					Grant the lock?
	S	X	IS	IX	SIX	
S	Yes		Yes			
X						
IS	Yes		Yes	Yes	Yes	
IX			Yes	Yes		
SIX			Yes			

Compatibility matrix

- ❖ Lock: before locking an item, T must acquire intention locks on all ancestors of the item
 - To get S or IS, must hold IS or IX on parent
 - What if T holds S or SIX on parent?
 - To get X or IX or SIX, must hold IX or SIX on parent
- ❖ Unlock: release locks bottom-up
- ❖ 2PL must also be observed

Examples 20

- ❖ T_1 reads all of R
 - T_1 gets an S lock on R
- ❖ T_2 scans R and updates a few rows
 - T_2 gets an SIX lock on R , and then occasionally get an X lock for some rows
- ❖ T_3 uses an index to read only part of R
 - T_3 gets an IS lock on R , and then repeatedly gets an S lock on rows it needs to access

Phantom problem revisited 21

- ❖ Reads are repeatable, but may see phantoms
- ❖ Example: different average
 - -- T_1 :


```
INSERT INTO Student
VALUES(789, 'Nelson', 10, 1.0);
COMMIT;
```
 - -- T_2 :


```
SELECT AVG(GPA)
FROM Student WHERE age = 10;
```
 - -- T_1 :


```
INSERT INTO Student
VALUES(789, 'Nelson', 10, 1.0);
COMMIT;
```
 - -- T_2 :


```
SELECT AVG(GPA)
FROM Student WHERE age = 10;
COMMIT;
```
- ☞ How do you lock something that does not exist yet?

Solutions 22

- ❖ Index locking
 - Use the index on $Student(age)$
 - T_2 locks the index block(s) with entries for $age = 10$
 - If there are no entries for $age = 10$, T_2 must lock the index block where such entries *would* be, if they existed!
- ❖ Predicate locking
 - “Lock” the predicate ($age = 10$)
 - Reason with predicates to detect conflicts
 - Expensive to implement

Concurrency control without locking 23

- ❖ Optimistic (validation-based)
- ❖ Timestamp-based
- ❖ Multi-version (Oracle, PostgreSQL)

Optimistic concurrency control 24

- ❖ Locking is pessimistic
 - Use blocking to avoid conflicts
 - Overhead of locking even if contention is low
- ❖ Optimistic concurrency control
 - Assume that most transactions do not conflict
 - Let them execute as much as possible
 - If it turns out that they conflict, abort and restart

Sketch of protocol

25

- ❖ Read phase: transaction executes, reads from the database, and writes to a private space
- ❖ Validate phase: DBMS checks for conflicts with other transactions; if conflict is possible, abort and restart
 - Requires maintaining a list of objects read and written by each transaction
- ❖ Write phase: copy changes in the private space to the database

Pessimistic versus optimistic

26

- ❖ Overhead of locking versus overhead of validation and copying private space
- ❖ Blocking versus aborts and restarts
- ❖ “Concurrency control performance modeling: alternatives and implications,” by Agrawal et al. *TODS* 1987 (in red book)
 - Locking has better throughput for environments with medium-to-high contention
 - Optimistic concurrency control is better when resource utilization is low enough

Timestamp-based

27

- ❖ Assign a timestamp to each transaction
 - Timestamp order is commit order
- ❖ Associate each database object with a read timestamp and a write timestamp
- ❖ When transaction reads/writes an object, check the object’s timestamp for conflict with a younger transaction; if so, abort and restart
- ❖ Problems
 - Even reads require writes (of object timestamps)
 - Ensuring recoverability is hard (plenty of dirty reads)

Multi-version concurrency control

28

- ❖ Maintain versions for each database object
 - Each write creates a new version
 - Each read is directed to an appropriate version
 - Conflicts are detected in a similar manner as timestamp concurrency control
 - ❖ In addition to the problems inherited from timestamp concurrency control
 - Pro: Reads are never blocked
 - Con: Multiple versions need to be maintained
- ☞ Oracle and PostgreSQL use variants of this scheme

Summary

29

- ❖ Covered
 - Conflict-serializability
 - 2PL, strict 2PL
 - Deadlocks
 - Multiple-granularity locking
 - Predicate locking and tree locking
 - Overview of other concurrency-control methods
- ❖ Not covered
 - View-serializability
 - Concurrency control for search trees (not the same as multiple-granularity locking and tree locking)