

# Logic Intro

CPS 170

Ron Parr

## Historical Perspective I

- Logic was one of the classical foundations of AI
- Dream: A Knowledge-Based agent
  - Tell the agent facts
  - Agent uses rules of inference to deduce consequences
  - Example: prolog
- Distinction between data and program
- Embodied in field of “Expert Systems”

## Example: Minesweeper

- How do you play minesweeper?
- How would you program a machine to do it?
  - Hacking
  - Search
  - Logic
- Logic approach
  - Tell the system of rules of minesweeper
  - System uses logic to make the best moves

## What is logic, really?

- Syntax: Rules for constructing valid sentences
- Semantics: Relate syntax to the real world

## Entailment

- Aim: Rule for generating (or testing) new sentences that are *necessarily* true
- The truth of sentence may depend upon the *interpretation* of the sentence

## Interpretations

- An interpretation is a way of matching up objects in the universe with symbols in a sentence (or database).
- A sentence may be true in one interpretation, but false in another
- A *necessarily true* sentence is true in all interpretations (perhaps given some premises in our KB)

## Examples

- Premises (facts in our database):
  - (X or Y)
  - Not X
  - Conclude: *Y is necessarily true*
- Premises
  - If P then Q
  - Q
  - Conclude: *P is not necessarily true*  
(though might be true in some interpretations)

## Soundness & Completeness

- A (set of) rule(s) of inference is sound if it generates only sentences that are entailed by the knowledge base, i.e., only necessary truths
- A (set of) rule(s) of inference is complete if it can generate all necessary truths
- Can we have one w/o the other?

## Historical Perspective II

- Things that are not true necessarily but still true are sometimes said to be “contingent,” “accidental,” or “synthetic,” truths.
- A deep understanding of this distinction evolved through thousands of years of philosophy and mathematics
- Arguably one of the most important intellectual accomplishments of mankind
  - Basis of mathematic proofs
  - Provides a rigorous procedure for verifying statements

## Propositional Logic

- Propositional logic is the simplest logic
- All sentences are composed of
  - Atoms
  - Negation
  - Disjunction, conjunction (or, and)
  - Conditional, biconditionals
- Atoms can map to any *proposition* about the universe (depending upon the interpretation)

## Checking Validity

- Classic method for checking validity: *truth table*
- Enumerate all possible values (t/f) of atomic elements of a sentence

$(P \vee H)$

$\neg H$

$P$

Horizontal  
line separates  
premises from  
conclusion

- Enumerate all 4 (or more) combinations

## Inference Rules

- Inference rules are (typically) sound methods of generating new sentences given a set of previous sentences
- Inference rules save us the trouble of generating truth tables all of the time

## Inference Rules I

- Modus Ponens

$$\frac{\alpha \Rightarrow \beta, \alpha}{\beta}$$

- And-Elimination

$$\frac{\alpha_1 \wedge \alpha_2 \wedge \dots \wedge \alpha_n}{\alpha_i}$$

## Inference Rules II

- And-Introduction

$$\frac{\alpha_1, \alpha_2, \dots, \alpha_n}{\alpha_1 \wedge \alpha_2 \wedge \dots \wedge \alpha_n}$$

- Or-Introduction

$$\frac{\alpha_i}{\alpha_1 \vee \alpha_2 \vee \dots \vee \alpha_n}$$

## Inference Rules III

- Double Negation Elimination

$$\frac{\neg \neg \alpha}{\alpha}$$

- Unit Resolution

$$\frac{\alpha \vee \beta, \neg \beta}{\alpha}$$

## Resolution

$$\frac{\alpha \vee \beta, \neg \beta \vee \gamma}{\alpha \vee \gamma}$$

Resolution is perhaps the most important inference rule!

Why?      Resolution is both sound and complete!



## Complexity of Inference

- What is the complexity of exhaustively verifying the validity of a sentence with  $n$  literals (variables)?

$$2^n$$

- Special Case: Horn Logic
  - Horn clauses are disjunctions with at most one positive literal
  - Equivalent to  $P_1 \wedge P_2 \wedge \dots \wedge P_n \Rightarrow Q$

## Remember De Morgan's Law?

- $\text{not}(P \text{ and } Q) = (\text{not } P) \text{ or } (\text{not } Q)$
- $\text{not}(P \text{ or } Q) = (\text{not } P) \text{ and } (\text{not } Q)$
- Surprisingly, no relationship to Captain Morgan

## Implications and Horn Clauses

- If  $P$  then  $Q$ 
  - Same as:  $(\text{not } (P \text{ and } (\text{not } Q)))$
  - Same as:  $(\text{not } P) \text{ or } Q$
  - ...and this is horn!
- If  $(P_1 \text{ and } P_2 \text{ and } \dots P_n)$  then  $Q$ 
  - Same as:  $(\text{not } ((P_1 \text{ and } P_2 \text{ and } \dots P_n) \text{ and } (\text{not } Q)))$
  - Same as:  $\text{not } (P_1 \text{ and } P_2 \text{ and } \dots P_n) \text{ or } Q$
  - Same as:  $((\text{not } P_1) \text{ or } (\text{not } P_2) \text{ or } \dots (\text{not } P_n) \text{ or } Q)$
  - ...and this is horn!

## Horn Clause Inference

- Horn clause inference is polynomial – Why?
  - Every sentence establishes exactly one new fact
  - Can add every possible new fact implied by our KB in  $n$  passes over our database
- What types of things are easy to represent with horn clauses?
  - Diagnostic rules
  - “Expert Systems”

## Shortcomings of Horn Clauses

- Suppose you want to say, “If you have a runny nose and fever, then you have a cold *or* the flu.”
- If (runny\_nose and fever) then (cold or flu)
- But this isn’t a horn clause:  
(not runny\_nose) or (not fever) or (cold) or (flu)
- Does adding two separate horn clauses work?
  - (not runny\_nose) or (not fever) or (cold)
  - (not runny\_nose) or (not fever) or (flu)

## Propositional Logic Conclusion

- Logic gives formal rules for reasoning
- Necessarily true = true in all interpretations
- Contrast with CSPs: Satisfiable = true in some, but not necessarily all interpretations
- Sound inference rules generate only necessary truths
- Resolution is a sound and complete inference rule
- Inference with a horn KB is poly time