


Compsci 101

7-steps, Functions, Order of Execution




Susan Rodger
January 13, 2022

Specification

```
filename: Laundry.py

def minutesNeeded(m):
    """
    Return integer number of minutes
    """
```

C is for ...




- **Computer Science and Computing**
 - It's what we do
- **Collaboration**
 - Review the policy
- **Cookies**
 - Good for the web and for ...
- **CSV**
 - Comma Separated Values: Data

Ayanna Howard

- Educator, Researcher and Innovator
- Professor & Chair of the School of Interactive Computing, Georgia Tech
- Now Dean of Engineering at The Ohio State University!
- Robotics – Robots and Bias, Robots changing lives of children with disabilities, Robots beyond part of the family
- Top 50 U.S. Women in Tech, Forbes, 2018

I believe that every engineer has a responsibility to make the world a better place. We are gifted with an amazing power to take people's wishes and make them a reality.



Announcements

- Lab 01 Friday,
 - Complete Prelab before going to lab
- APT-1 out today, due Thursday, January 20
- Assignment 0 due Tuesday, January 18
- Sakai quizzes on readings due 10:15am on date due
 - Get three tries, score highest score
 - First two weeks we allow you to submit late
 - First 5 quizzes turn off, 10:15am Jan 20
- Read Ed Discussion Every Day – You will learn things!
- Reminder: Ed Discussion back channel

Join Duke Mailing lists

compsci@duke.edu

- Mailing list about
 - Jobs, internships, research positions
 - Events related to computer science
- How to join:
 - Go to: lists.duke.edu
 - Be sure to authenticate
 - Add compsci@duke.edu
- **BE IN THE KNOW ABOUT COMPSCI!**

PFTD

- Functions
- Order of execution
- 7 steps of programming
- APTs
- Testing and Submitting APTs

What is a Function?

- **Function has:**
 - Name
 - Maybe inputs
 - Processes or calculates something
 - Has a result

Functions in the Real World:


URL in webpage



- **Function has:**
 - Name: “Search”
 - Input: `www.duke.edu`
 - Calculates:
 - Returns back:


Functions in the Real World: calculator

- **Function has:**
 - Name: calculator
 - Input: number(s), operator
 - Example: 25, squareroot
 - Calculates:
 - Returns back:



Functions in the Real World:

Counting words in Microsoft Word



- Function has:
 - Name:
 - Input:
 - Calculates:
 - Returns back:

Built-in Python Function – len() already exists, you use it

- len() function
- Function has:
 - Name: `len`
 - Input: `a string`
 - Calculates: `number of characters in string`
 - Returns back: `number`

Examples:

```
x = len("duke")
```

value of x:

```
y = len("computer")
```

value of y:

Built-in Python Function – str() already exists, you use it

Examples:

- `str()` function
- Function has:
 - Name: `str`
 - Input: `an expression`
 - Calculates: `string version of expression's value`
 - Returns back: `string`

```
x = str(623)  
# value of x:
```



Other Python built-in functions

- `type(something)`
 - Returns type of variable `something`
- `int(7.8)`
 - Returns integer value of decimal number, e.g. 7
- `float(4)`
 - Returns float value of integer, e.g. 4.0

print() function

- General function has:
 - Name
 - Maybe inputs
 - Processes or calculates something
 - Has a result
- `print("hi cat")`
 - Name: `print`
 - Input: `"hi cat"`
 - "processes", generates output
 - No return value, returns `None`

Example with lines numbered:



```
1  x = float(6)
2  print("x is", x)
3  y = print("x is", x)
4  print("y is", y)
```

Output:

Writing your own Python function

- **Format:**

```
def nameOfFunction(parameters) :  
    <body, or lines of code>  
    return value    # optional, but likely
```

Writing your own Python function

- **Format:**

```
def nameOfFunction(parameters) :  
    <body, or lines of code>  
    return value    # optional, but likely
```

- **Example define function:**

```
def inchesToCentimeters(inches) :  
    centi = inches * 2.54  
    return centi
```

Writing your own Python function

- **Format:**

```
def nameOfFunction(parameters):  
    <body, or lines of code>  
    return value    # optional, but likely
```

- **Example define function:**

```
def inchesToCentimeters(inches):  
    centi = inches * 2.54  
    return centi
```

Output:
25.4

- **Use or call function:**

```
answer = inchesToCentimeters(10.0)  
print(answer)
```

Writing your own Python function

- **Parameter**
 - Variable, place holder for a value
 - In parenthesis in first line of definition of function
- **Argument**
 - Expression or value
 - In parenthesis when calling or using a function
- **Example:**

```
def inchesToCentimeters(inches):  
    centi = inches * 2.54  
    return centi
```

parameter

- **Use or call function:**

```
answer = inchesToCentimeters(10.0)  
print(answer)
```

argument

What happens when executes?

```
8  def inchesToCentimeters(inches):
9      centi = inches * 2.54
10     return centi
11
12
13  if __name__ == '__main__':
14      answer = inchesToCentimeters(10.0)
15      print(answer)
16      answer = inchesToCentimeters(3.0)
17      print(answer)
```

Output:

Start on line 1 of the file and move line by line
The first 7 lines are blank or are a comment, ignore.

Let's go see this in Pycharm and add a function

```
]def pluralize(word):  
    word = word + "es"  
]  
    return word
```

Add this function

```
newWord = pluralize("fish")  
print(newWord)  
word1 = "dress"  
word2 = pluralize(word1)  
print(word2)  
word1 = "book"  
print(pluralize(word1))  
]
```

Add these lines
of code that call
the function

WOTO – Working Together (breakout groups)

- Given a bitly link
 - Type it in OR click on it on the calendar page

- <http://bit.ly/101s22-0113-1>

- What you should do:
 - Introduce yourselves
 - Each person fills out google form
 - Put in your name, email and netid
 - Discuss each question and fill out
 - Be mindful of time

- [Link 1](#)
- [Link 2](#)
- [Link 3](#)
- [Link 4](#)

WOTO: Calling Functions

<http://bit.ly/101s22-0113-1>

APTs in 101 and 201

- **Algorithm Problem-solving and Testing**
 - Algorithm that's Automatically Tested
 - In use at Duke since 2003, million+ APTs solved
- **Given a problem statement**
 - Read, **think**, plan on **paper** ...
 - Write a function to solve the problem
 - Submit the code for testing, debug if necessary
- **Where do you start with problem solving?**

The Seven Steps

Programming Process: High-level

Steps 1-4:
Devise Algorithm

- First part: devise the algorithm
 - The meta-problem solving piece
 - Big/complex enough to be 4 steps (more shortly)

The Seven Steps

Programming Process: High-level



- After devising the algorithm, translate to code
 - Plan first, then code
 - Bridge analogy: blue prints, then construction
 - Essay analogy: outline, then prose

The Seven Steps


Programming Process: High-level



- Next test our program
 - Testing important, often under-taught skill

The Seven Steps


Programming Process: High-level



- Ideally would be correct first time; may need to debug
 - Identify problem (with science!)
 - Return to appropriate prior step to fix the problem


The Seven Steps

Programming Process: High-level




- Work through cycle until program works

Steps 1—4: Devise Algorithm




- Steps 1—4: devise the algorithm
 - Learn to do this well, be an excellent programmer
 - Language: does not matter

Steps 1—4: Example: Calculate the average of two numbers




- Step 1: $2 + 5 = 7$, $7/2 = 3.5$
- Step 2:
 - Add $2 + 5$ and get 7
 - Divide 7 by 2 and the result is 3.5

Steps 1—4: Example: Calculate the average of two numbers



- Step 3:
 - Two variables `num1` and `num2`
 - Add the two numbers together:
result is `num1 + num2`
 - Divide the result by 2 and you have the answer
answer is `result / 2`


Steps 1—4: Example: Calculate the average of two numbers



- Step 4: Try a different example
 - Use 8 and 6, num1 is 8, num2 is 6
 - Add the two numbers together:
result is $\text{num1} + \text{num2}$, is 14
 - Divide the result by 2 and you have the answer
 - Answer is $\text{result}/2$, which is 7
- **IT WORKS!**


Step 5: let's convert it to code!

- Go to Pycharm
- We will also:
 - Test it – Step 6
 - Debug it – Step 7




Seven Steps

Steps 1-4



Steps 1-7



Solving Laundry APT

- Navigate to APTs in class website and ...

CompSci 101, Spring 2022 APTs

[Home](#) [About](#) [Dates](#) [Labs](#) [Assign](#) [APTs](#) [Help](#) [Forms](#) [Resources](#) [Sakai](#)

APT Quiz

Start the APT quiz on Sakai under quizzes, but not until you are ready to take the quiz.


APTs

See below for hints on what to do if your APT doesn't run.

For each problem in an APT set, complete these steps by the due date

- first click on the APT set below to go to the APT page.
- write the code, upload the file and click the **Submit** link
- **check your grade** on the grade code page by clicking on **check submissions**

In solving APTs, your program should work for all cases, not just the test cases we provide. We may test your program on additional data.



APT	Due Date
APT-1	January 20

Solving Laundry APT

APT Grading: CompSci 101, Spring 2022

This is the webpage for *grading and submitting* your APTs.

Check Grades

[check submissions](#)

Problem Set 1	Details
APT-1, Due on Jan 20, Complete all six of them	
<input type="radio"/> IntroAPT	Do first, explains apts in Lab 1 on 1/14
<input type="radio"/> Gravity	
<input type="radio"/> Bogsquare	in Lecture 1/13
<input type="radio"/> Cone	
<input type="radio"/> Grayscale	
<input type="radio"/> Laundry	
Test file: <input type="button" value="Browse..."/> No file selected.	
<input type="button" value="test/run"/>	

Solving Laundry APT

- Navigate to APTs in class website and ...

Problem Statement

Consider the problem of trying to do a number of loads of laundry, given only one washer and one dryer. Washing a load takes 25 minutes, drying a load takes 25 minutes, and folding the clothes in a load takes 10 minutes, for a total of 1 hour per load (assuming that the time to transfer a load is built into the timings given). 10 loads of laundry can be done in 10 hours, 600 minutes, using the method of completing one load before starting the next one. Though it can be done faster, see examples.

Write the method, `minutesNeeded`, that returns the shortest time needed to do `m` loads of laundry. In other words, given an integer value representing the number of loads to complete, `m`, determine the smallest number of minutes needed to complete all loads of laundry.

Specification

```
filename: Laundry.py

def minutesNeeded(m):
    """
    Return integer number of minutes to launder m (integer) loads
    """

    # you write code here
```

Solving Laundry APT – Step 1

WOTO: <http://bit.ly/101s22-0113-2>

- What is important info?

Problem Statement

Consider the problem of trying to do a number of loads of laundry, given only one washer and one dryer. Washing a load takes 25 minutes, drying a load takes 25 minutes, and folding the clothes in a load takes 10 minutes, for a total of 1 hour per load (assuming that the time to transfer a load is built into the timings given). 10 loads of laundry can be done in 10 hours, 600 minutes, using the method of completing one load before starting the next one. Though it can be done faster, see examples.

Write the method, `minutesNeeded`, that returns the shortest time needed to do `m` loads of laundry. `m` represents the number of loads to complete, `m`, determine the smallest number of minutes needed.

Specification

filename: `Laundry.py`

```
def minutesNeeded(m):
```


```
    """
```

```
    Return integer number of minutes
```

```
    """
```

```
    # you write code here
```

Reading an APT



- Step 1: Work an instance yourself
- Step 2: Write down exactly what you just did
- Step 3: Generalize your steps
- Step 4: Test your steps (with new input)

What should be a variable?

Examples

1. `m = 1`
`returns: 60`

You must wait `m` minutes.

2. `m = 2`
`returns: 85`

Solving Laundry APT – Steps 3 and 4

WOTO: <http://bit.ly/101s22-0113-2>

- What is important info?

Problem Statement

Consider the problem of trying to do a number of loads of laundry, given only one washer and one dryer. Washing a load takes 25 minutes, drying a load takes 25 minutes, and folding the clothes in a load takes 10 minutes, for a total of 1 hour per load (assuming that the time to transfer a load is built into the timings given). 10 loads of laundry can be done in 10 hours, 600 minutes, using the method of completing one load before starting the next one. Though it can be done faster, see examples.

Specification

filename: Laundry.py

```
def minutesNeeded(m):
```

```
    """
```

```
    Return integer number
```

```
    """
```

```
    # you write code here
```

Write the method, `minutesNeeded`, that returns the shortest time needed to do `m` loads

Solving an APT

- **Create new project**
 - File > New Project
 - Existing interpreter (first project you made from installation)
- **Create new Python File**
 - Right click on project > New > Python File
- **Create function within module**
 - Name it properly!

Names and Return 0 Submission

- Take small steps to get all green!

Test Results Follow (scroll to see all)

of correct: 0 out of 19

1	fail
2	fail
3	fail
4	fail
5	fail
6	fail
7	fail
8	fail
9	fail
10	fail
11	fail
12	fail
13	fail
14	fail
15	fail
16	fail
17	fail
18	fail
19	fail

Test Results Follow (scroll to see all)

of correct: 12 out of 19


1	pass
2	pass
3	pass
4	pass
5	pass
6	pass
7	pass
8	pass
9	pass
10	pass
11	pass
12	pass
13	fail
14	fail
15	fail
16	fail
17	fail
18	fail
19	fail

Test Results Follow (scroll to see all)

of correct: 19 out of 19

1	pass
2	pass
3	pass
4	pass
5	pass
6	pass
7	pass
8	pass
9	pass
10	pass
11	pass
12	pass
13	pass
14	pass
15	pass
16	pass
17	pass
18	pass
19	pass

APT Correct → The Green Dance(Fall 2020)



APT Testing and Submission

- You wrote the code, how is it tested?
 - Submit .py file with function to server
 - Server imports it
 - Server tests and checks by calling your function
- The APT testing framework calls your code!
 - Don't call us, we'll call you: *Hollywood principle*
- Test + Submit + Check Grade

APT Grading: CompSci 101,

This is the webpage for *grading and submitting* your APTs.

Check Grades

[check submissions](#)

Laundry dissected

```
def minutesNeeded(m):
```

- Wrote formula using code to define a function

Testing Laundry – three ways

1) Run on the apt page

- Need internet connection, may take time

2) Locally in Python Program Laundry

- Get it working before you use apt page

```
11 ► if __name__ == '__main__':  
12     num = 1  
13     print("m is", num, minutesNeeded(num))  
14     num = 2  
15     print("m is", num, minutesNeeded(num))  
16     num = 3  
17     print("m is", num, minutesNeeded(num))  
18     num = 10  
19     print("m is", num, minutesNeeded(num))
```

Testing Laundry – three ways

3) Run in Python Console

- Must import Laundry
- Must specify which file minutesNeeded is in

Laundry.minutesNeeded(2)

```
Python Console x
Python Console
>>> minutesNeeded(2)
Traceback (most recent call last):
  File "C:\Users\Susan\AppData\Local\Programs\Python\Python38-32\python.exe", line 1, in <module>
    exec(code, self.locals)
  File "<input>", line 1, in <module>
NameError: name 'minutesNeeded' is not defined
>>> import Laundry
>>> minutesNeeded(2)
Traceback (most recent call last):
  File "C:\Users\Susan\AppData\Local\Programs\Python\Python38-32\python.exe", line 1, in <module>
    exec(code, self.locals)
  File "<input>", line 1, in <module>
NameError: name 'minutesNeeded' is not defined
>>> Laundry.minutesNeeded(2)
85
>>> import math
>>> math.sin(0.0)
0.0
```

Where to put/use what in Python file

- Top: docstring with date and username
- Function definitions right after docstring
- Test code inside `if __name__ == '__main__':`
- Variables inside vs outside a function
 - *Only* use the variables inside that function
 - Therefore, *do not* use the variables outside the function (like in the main)
 - Your code will not work on the server