


# Compsci 101

## Simple Sorting, Transform, Sets



Susan Rodger  
February 28, 2023

# M is for ...




- **Machine Learning**
  - Math, Stats, CompSci: learning at scale
- **Microsoft, Mozilla, Macintosh**
  - Software that changed the world?
- **Memory**
  - Storage space in the computer
  - From 64 Kilobytes to 16 Gigobytes!
- **Mouse, Mouse pad**
  - Easier to navigate



# Margot Shetterly

- **Writer, Author of Hidden Figures**
- **Black Women NASA Scientists**
- **Gave a talk at Duke in 2016**



**Katherine Mary Dorothy Christine**  
**Johnson Jackson Vaughn Darden**



# Announcements

- **Assignment 3 due Thursday, March 2**
  - Sakai quiz due today
- **Assignment 4 out Thursday!**
- **APT-4 is out and due Thursday March 9**
  - Can use some as practice for exam
- **Lab 7 Friday, there is a prelab available Thursday!**
  
- **Do not discuss APT Quiz 1 until grades posted!**
  - A few have not take it yet due to travel or illness

# PFTD

- **Simple Sorting**
- **Solving an APT**
- **Assignment 4**
- **Sets**

# Exam 2 – in person – Tues, March 7

- **Exam is in class on paper – 10:15am**
  - Need pen or pencil
- **See materials under 3/7 date**
  - Exam 2 Reference sheet - part of exam
- **Covers**
  - topics /reading through Thursday
  - APTs through APT4
    - APT4 – write code on paper, then type in
  - Labs through Lab 7
    - Lab 7 - Parts 1-3
  - Assignments through Assignment 3

Tuesday
<b>3/7</b> No Reading No QZ
<b>*** EXAM 2 ***</b> <a href="#">Recommended Old Tests</a> <a href="#">Exam 2 Reference Sheet</a> <a href="#">All Old tests</a>

# Exam 2 topics include ...

- **List, tuples, list comprehensions**
- **Loops – for loop, while loop, indexing with a loop**
- **Reading from a file**
  - Converting data into a list of things
- **Parallel lists**
- **Sets – solving problems**
- **Dictionaries – only reading them and understanding output, no problem solving**
- **No turtles on the exam!**

# Exam 2

- **Exam 2 is your own work!**
- **No looking at others exam or talking to others**
- **You cannot use any notes, books, computing devices, calculators, or any extra paper**
- **Bring only a pen or pencil**
- **The exam has extra white space and has the Exam 2 reference sheet as part of the exam.**
- **Do not discuss any problems on the exam with others until it is handed back**



# Exam 2 – How to Study

- **Practice writing code on paper!**
- **Rewrite an APT**
- **Try to write code from lecture from scratch**
- **Try to write code from lab from scratch**
- **Practice from old exams**
- **Put up old Sakai quizzes, but better to practice writing code**
- **Look at Exam 2 reference sheet when writing code!**

# Let's sort lists with sorted() function

- **Want list elements in sorted order**
  - Example: have list [17 , 7, 13, 3]
  - Want list [3, 7, 13, 17], in order
- **Built-in function: sorted(*sequence*)**
  - **Returns new list** of sequence in sorted order
  - Sequence could be list, tuple, string

# Example

**lst = [6, 2, 9, 4, 3]**

**lst is [6, 2, 9, 4, 3]**

**lsta = sorted(lst)**

**b = ['ko', 'et', 'at', 'if']**

**c = sorted(b)**

**b.remove('et')**

**b.append(6)**

**b.insert(1,5)**

**c = sorted(b)**

# Example

**lst = (7, 4, 1, 8, 3, 2)**

**lst is (7, 4, 1, 8, 3, 2)**

**lsta = sorted(lst)**

**b = ('ko', 'et', 'at', 'if')**

**c = sorted(b)**

**d = "word"**

**e = sorted(d)**

**f = 'go far'**

**g = sorted(f)**

**f = 'go far'**

**h = sorted(f.split())**

# Now, sort lists with `.sort()` list method

- **Want to "change" list elements to sorted order**
  - `lst` is `[17, 7, 13, 3]`
  - `lst.sort()`
  - Now **same** list `lst` is `[3, 7, 13, 17]`, in order
- **List method: `list.sort()`**
  - List is **modified, now in sorted order**
  - There is **NO** return value
  - Only works with lists, can't modify strings, tuples

# Compare sorted() with .sort()

**lsta = [6, 2, 9, 4, 3]**

**lsta is [6, 2, 9, 4, 3]**

**lstb = sorted(lsta)**

**lsta.sort()**

**a = [7, 2, 9, 1]**

**b = a.sort()**

**c = (5, 6, 2, 1)**

**c.sort()**

**d = "word"**

**d.sort()**

# WOTO-1 Sorting

<http://bit.ly/10123s-0228-1>

# APT - TxMsg

## Problem Statement

Strange abbreviations are often used to write text messages on uncomfortable mobile devices. One particular strategy for encoding texts composed of alphabetic characters and spaces is the following:

- Spaces are maintained, and each word is encoded individually. A word is a consecutive string of alphabetic characters.
- If the word is composed only of vowels, it is written exactly as in the original message.
- If the word has at least one consonant, write only the consonants that do not have another consonant immediately before them. Do not write any vowels.
- The letters considered vowels in these rules are 'a', 'e', 'i', 'o' and 'u'. All other letters are considered consonants.

For instance, "ps i love u" would be abbreviated as "p i lv u" while "please please me" would be abbreviated as "ps ps m". You will be given the original message in the string parameter `original`. Return a string with the message abbreviated using the described strategy.

## Specification

```
filename: TxMsg.py

def getMessage(original):
    """
    return String that is 'textized' version
    of String parameter original
    """

    # you write code here
```



# Examples

## Examples

1. `"text message"`

Returns `"tx msg"`

5. `"aeiou bcd fghijklmnpqrstvwxyz"`

Returns: `"aeiou b"`

# WOTO-2 – TxMsg

<http://bit.ly/101s23-0228-2>

# Write helper function *transform*

- **How?**
- **Use seven steps**
- **Work an example by hand**

# Why use helper function 'transform'?

- **Structure of code is easier to reason about**
  - Harder to develop this way at the beginning
  - Similar to accumulate loop, build on what we know
- **We can debug pieces independently**
  - What if transform returns "" for every string?
  - Can we test transform independently of getMessage?

# Assignment 4: Guess Word

- **We give you most of the functions to implement**
  - Partially for testing, partially for guiding you
- **But still more open ended than prior assignments**
- **If the doc does not tell you what to do:**
  - Your chance to decide on your own!
    - Okay to get it wrong on the first try
  - Discuss with TAs and friends, brainstorm!
- **Demo!**

# Python Sets

- **Set – unordered collection of distinct items**
  - Unordered – can look at them one at a time, but cannot count on any order
  - Distinct - one copy of each

```
x = [5, 3, 4, 3, 5, 1]
```

```
y = set(x)
```

```
y.add(6)
```

```
y.add(4)
```

```
x is [5, 3, 4, 3, 5, 1]
```

# List vs Set

- **List**


- Ordered, 3<sup>rd</sup> item, can have duplicates

- Example: `x = [4, 6, 2, 4, 5, 2, 4]`

- **Set**

- No duplicates, no ordering

- Example: `y = set(x)`



- **Both**

- Add, remove elements
- Iterate over all elements

# Python Sets

- **Can convert list to set, set to list**
  - Great to get rid of duplicates in a list

**a = [2, 3, 6, 3, 2, 7]**

**a is [2, 3, 6, 3, 2, 7]**


**b = set(a)**

**c = list(b)**




# Python Set Operators

SET A




SET B



- Using sets and set operations often useful


- $A \mid B$ , set union

- Everything




- $A \& B$ , set intersection

- *Only* in both




- $B - A$ , set difference

- In *B* and not *A*



- $A \wedge B$ , symmetric diff

- Only in *A* or only in *B*



# List and Set, Similarities/Differences

	Function for List	Function for Set
Adding element	<code>x.append(elt)</code>	<code>x.add(elt)</code>
Size of collection	<code>len(x)</code>	<code>len(x)</code>
Combine collections	<code>x + y</code>	<code>x   y</code>
Iterate over	<code>for elt in x:</code>	<code>for elt in x:</code>
Element membership	<code>elt in x</code>	<code>elt in x</code>
Index of an element	<code>x.index(elt)</code>	<b>CANNOT DO THIS</b>

- Lists are ordered and indexed, e.g., has a first or last
- Sets are **not** ordered, very fast, e.g., **if elt in x**

# Creating and changing a set

```
colorList = ['red', 'blue', 'red', 'red', 'green']
colorSet = set(colorList)
smallList = list(colorSet)
colorSet.clear()
colorSet.add("yellow")
colorSet.add("red")
colorSet.add("blue")
colorSet.add("yellow")
colorSet.add("purple")
colorSet.remove("yellow")
```

smallList is

# Set Operations – Union and Intersection

```
UScolors = set(['red', 'white', 'blue'])
dukeColors = set(['blue', 'white', 'black'])

print(dukeColors | UScolors)
print(dukeColors & UScolors)
```

# Set Operations - Difference

```
UScolors = set(['red', 'white', 'blue'])
dukeColors = set(['blue', 'white', 'black'])

print(dukeColors - UScolors)
print(UScolors - dukeColors)
```

# Set Operations – Symmetric Difference

```
UScolors = set(['red', 'white', 'blue'])  
dukeColors = set(['blue', 'white', 'black'])  
  
print(dukeColors ^ UScolors)  
print(UScolors ^ dukeColors)
```

# Let's sort lists with sorted() function

- **Built-in function: sorted(*sequence*)**
  - **Returns new list** of sequence in sorted order
  - Sequence could be list, tuple, string
  - **Sequence could be set!**

```
a = set( [3, 5, 2, 1, 7, 2, 5] )
```

```
b = sorted(a)
```

# WOTO-3 Sets

<http://bit.ly/101s23-0228-3>