Bayesian games and their use in auctions

Vincent Conitzer conitzer@cs.duke.edu

What is mechanism design?

- In mechanism design, we get to design the game (or mechanism)
 - e.g. the rules of the auction, marketplace, election, ...
- Goal is to obtain good outcomes when agents behave strategically (game-theoretically)
- Mechanism design often considered part of game theory
- 2007 Nobel Prize in Economics!
 - 2012 Prize also related
- Before we get to mechanism design, first we need to know how to evaluate mechanisms


Example: (single-item) auctions

- Sealed-bid auction: every bidder submits bid in a sealed envelope
- First-price sealed-bid auction: highest bid wins, pays amount of own bid
- Second-price sealed-bid auction: highest bid wins, pays amount of second-highest bid



Which auction generates more revenue?


- Each bid depends on
 - bidder's true valuation for the item (utility = valuation payment),
 - bidder's beliefs over what others will bid (→ game theory),
 - and... the auction mechanism used
- In a first-price auction, it does not make sense to bid your true valuation
 - Even if you win, your utility will be 0...
- In a second-price auction, (we will see next that) it always makes sense to bid your true valuation



Are there other auctions that perform better? How do we know when we have found the best one?


Bidding truthfully is optimal in the Vickrey auction!

What should a bidder with value v bid?



Collusion in the Vickrey auction

Example: two colluding bidders



Attempt #1 at using game theory to predict auction outcome

- First-price sealed-bid (or Dutch) auction
- Bidder 1 has valuation 4, bidder 2 has val. 2
- Discretized version, random tie-breaking

-	0	1	2	3	4
0	2, 1	0, 1	0, 0	0, -1	0, -2
1	3, 0	1.5, .5	0, 0	0, -1	0, -2
2	2, 0	2, 0	1, 0	0, -1	0, -2
3	1, 0	1, 0	1, 0	.5,5	0, -2
4	0, 0	0, 0	0, 0	0, 0	0, -1


What aspect(s) of auctions is this missing?

Bayesian games

- In a Bayesian game a player's utility depends on that player's type as well as the actions taken in the game
 - Notation: θ_i is player i's type, drawn according to some distribution from set of types Θ_i
 - Each player knows/learns its own type, not those of the others, before choosing action
 - Pure strategy s_i is a mapping from Θ_i to A_i (where A_i is i's set of actions)
 - In general players can also receive signals about other players' utilities; we will not go into this

	L	R		L	R
row player U	4	6	column player U	4	6
type 1 (prob. 0.5) D	2	4	type 1 (prob. 0.5) _D	4	6
	L	R		L	R
row player U	2	4	column player U type 2 (prob. 0.5) D	2	2
type 2 (prob. 0.5) D	4	2		4	2

Converting Bayesian games to normal form



	type 1: L	type 1: L	type 1: R	type 1: R
	type 2: L	type 2: R	type 2: L	type 2: R
type 1: U type 2: U	3, 3	4, 3	4, 4	5, 4
type 1: U type 2: D	4, 3.5	4, 3	4, 4.5	4, 4
type 1: D type 2: U	2, 3.5	3, 3	3, 4.5	4, 4
type 1: D type 2: D	3, 4	3, 3	3, 5	3, 4

exponential blowup in size

Bayes-Nash equilibrium

- A profile of strategies is a Bayes-Nash equilibrium if it is a Nash equilibrium for the normal form of the game
 - Minor caveat: each type should have >0 probability
- Alternative definition: for every i, for every type θ_i, for every alternative action a_i, we must have:

$$\Sigma_{\theta_{-i}} P(\theta_{-i}) u_i(\theta_i, \sigma_i(\theta_i), \sigma_{-i}(\theta_{-i})) \ge$$

$$\Sigma_{\theta_{-i}} P(\theta_{-i}) u_i(\theta_i, a_i, \sigma_{-i}(\theta_{-i}))$$

First-price sealed-bid auction BNE

- Suppose every bidder (independently) draws a valuation from [0, 1]
- What is a Bayes-Nash equilibrium for this?
- Say a bidder with value v_i bids v_i(n-1)/n
- Claim: this is an equilibrium!
- Proof: suppose all others use this strategy
- For a bid b < (n-1)/n, the probability of winning is (bn/(n-1))ⁿ⁻¹, so the expected value is (v_i-b)(bn/(n-1))ⁿ⁻¹
- Derivative w.r.t. b is (bn/(n-1))ⁿ⁻¹ + (v_i-b)(n-1)bⁿ⁻²(n/(n-1))ⁿ⁻¹ which should equal zero
- Implies -b + $(v_i-b)(n-1) = 0$, which solves to $b = v_i(n-1)/n$

Analyzing the expected revenue of the first-price and second-price (Vickrey) auctions

- First-price auction: probability of there not being a bid higher than b is (bn/(n-1))ⁿ (for b < (n-1)/n)
 - This is the cumulative density function of the highest bid
- Probability density function is the derivative, that is, it is nbⁿ⁻¹(n/(n-1))ⁿ
- Expected value of highest bid is $n(n/(n-1))^{n \int (n-1)/n} b^n db = (n-1)/(n+1)$
- Second-price auction: probability of there not being two bids higher than b is bⁿ + nbⁿ⁻¹(1-b)
 - This is the cumulative density function of the second-highest bid
- Probability density function is the derivative, that is, it is $nb^{n-1} + n(n-1)b^{n-2}(1-b) nb^{n-1} = n(n-1)(b^{n-2} b^{n-1})$
- Expected value is (n-1) n(n-1)/(n+1) = (n-1)/(n+1)

Revenue equivalence theorem

- Suppose valuations for the single item are drawn i.i.d. from a continuous distribution over [L, H] (with no "gaps"), and agents are risk-neutral
- Then, any two auction mechanisms that
 - in equilibrium always allocate the item to the bidder with the highest valuation, and
 - give an agent with valuation L an expected utility of 0,
 will lead to the same expected revenue for the auctioneer

(As an aside) what if bidders are not risk-neutral?

- Behavior in second-price/English/Japanese does not change, but behavior in first-price/Dutch does
- Risk averse: first price/Dutch will get higher expected revenue than second price/Japanese/English
- Risk seeking: second price/Japanese/English will get higher expected revenue than first price/Dutch

(As an aside) interdependent valuations

- E.g. bidding on drilling rights for an oil field
- Each bidder i has its own geologists who do tests, based on which the bidder assesses an expected value v_i of the field
- If you win, it is probably because the other bidders' geologists' tests turned out worse, and the oil field is not actually worth as much as you thought
 - The so-called winner's curse
- Hence, bidding v_i is no longer a dominant strategy in the second-price auction
- In English and Japanese auctions, you can update your valuation based on other agents' bids, so no longer equivalent to second-price
- In these settings, English (or Japanese) > secondprice > first-price/Dutch in terms of revenue

Expected-revenue maximizing

- ("optimal") auctions [Myerson 81]Vickrey auction does not maximize expected revenue
- E.g. with only one bidder, better off making a take-it-or-leave-it offer (or equivalently setting a reserve price)
- Suppose agent i draws valuation from probability density function f_i (cumulative density F_i)
- Bidder's virtual valuation ψ(v_i)= v_i (1 F_i(v_i))/f_i(v_i)
 Under certain conditions, this is increasing; assume this
- The bidder with the highest virtual valuation (according to his reported valuation) wins (unless all virtual
- Winner pays value of lowest bid that would have made him win
- E.g. if all bidders draw uniformly from [0, 1], Myerson auction = second-price auction with reserve price ½

valuations are below 0, in which case nobody wins)

Vickrey auction without a seller















Can we redistribute the payment?

Idea: give everyone 1/n of the payment





receives 1



pays 3





receives 1

not strategy-proof Bidding higher can increase your redistribution payment

Incentive compatible redistribution

[Bailey 97, Porter et al. 04, Cavallo 06]

Idea: give everyone 1/n of second-highest **other** bid





receives 1



pays 3

receives 2/3



receives 2/3

2/3 wasted (22%)

Strategy-proof

Your redistribution does not depend on your bid; incentives are the same as in Vickrey

Bailey-Cavallo mechanism...

- Bids: V1≥V2≥V3≥... ≥Vn≥0
- First run Vickrey auction
- Payment is V2
- First two bidders receive V₃/n
- Remaining bidders receive V2/n
- Total redistributed: 2V₃/n+(n-2)V₂/n

```
R_1 = V_3/n
R_2 = V_3/n
R_3 = V_2/n
R_4 = V_2/n
...
R_{n-1} = V_2/n
```

 $R_n = V_2/n$

Is this the best possible?

Another redistribution mechanism

- Bids: V1≥V2≥V3≥V4≥... ≥Vn≥0
- First run Vickrey
- Redistribution:

Receive 1/(n-2) * second-highest **other** bid,

- 2/[(n-2)(n-3)] third-highest other bid
- Total redistributed:

```
V2-6V4/[(n-2)(n-3)]
```

```
R1 = V3/(n-2) - 2/[(n-2)(n-3)]V4

R2 = V3/(n-2) - 2/[(n-2)(n-3)]V4

R3 = V2/(n-2) - 2/[(n-2)(n-3)]V4

R4 = V2/(n-2) - 2/[(n-2)(n-3)]V3

...

Rn-1= V2/(n-2) - 2/[(n-2)(n-3)]V3

Rn = V2/(n-2) - 2/[(n-2)(n-3)]V3
```